









State of California
The Resources Agency

Department of Water Resources



Water Conditions and Flood Events in California

Water Year 1976-77

Bulletin 202-77 September 1978

U.C.I. LIBRARY





COVER PHOTOGRAPHS: (Top) Lake Oroville (2-23-77); (lower left) Lake Shasta (9-22-76); (lower middle) Stony Gorge Reservoir (10-22-76); (lower right) San Joaquin River (1-27-69). The three reservoir photographs typity statewide storage during the 1976-1977 water year. The lower right photo is view of an orchard in the floodway, looking northeast across the San Joaquin River. The left bank levee, in Reclamation District No. 2095, is located at the bottom of the same photograph.

Department of Water Resources

Bulletin 202-77

Water Conditions and Flood Events in California

Water Year 1976-77

September 1978

Driest year word Edmund G. Brown Jr. Governor


State of California Ronald B. Robie **Director**

Department of Water Resources

Huey D. Johnson **Secretary for Resources**

The Resources Agency

WATER YEAR 1976-77 RAPY



FOREWORD

Water year 1976-77 (October 1, 1976 to September 30, 1977) was the driest year of 130 years of record in California. It also was the second consecutive year of the worst two-year drought in California's history. A high pressure ridge, entrenched off the coast of California during the 1975-76 water year, became even more pronounced during 1976-77, dominating the weather patterns of the West Coast and preventing all but a few storms to penetrate into California. This water year also marked the second year of challenge to the Department of Water Resources and to all other water management agencies, to make the best use of a very limited water supply. In spite of the extreme dryness, the vagaries of the weather nevertheless brought flooding to our state in the midst of drought. This is a dramatic example of the force of natural systems.

Bulletin 202-77 is the second of an annual series combining information on general statewide water conditions and significant high water events of the year. The Bulletin includes descriptions of weather patterns preceding and during significant storm periods; information on precipitation, snowpack, unimpaired runoff, and reservoir storage; and hydrographs of stream stages and reservoir operations, weir overflow graphs, and tabulations of peak streamflow and stages.

This report was prepared from information provided by the Department of Water Resources, National Weather Service, U. S. Geological Survey, U. S. Army Corps of Engineers, U. S. Bureau of Reclamation, and many other agencies, public and private, to whom we wish to express our thanks.

The California drought for water year 1976-77 is also described in great detail in the Department's special reports. A list of these reports is on page iv.

Ronald B. Robie, Director Department of Water Resources The Resources Agency State of California

Monded B. Rhie

Department reports on the 1976-77 drought include:

- 1. Special Report on Dry Year Impacts in California. February 1, 1976.
- 2. The California Drought 1976. May 1976.
- 3. The California Drought: An Update. February 15, 1977.
- 4. The Continuing California Drought. August 1977.
- 5. The 1976-1977 California Drought A Review. May 1978.

Copies of this bulletin are available without charge from:

State of California
DEPARTMENT OF WATER RESOURCES
P. O. Box 388
Sacramenta, California 95802

CONTENTS

	Page
FOREWORD	iii
ORGANIZATION, DEPARTMENT OF WATER RESOURCES	vii
CONVERSION FACTORS - ENGLISH TO METRIC SYSTEM MEASUREMENT	viii
CHAPTER I. WEATHER	1
CHAPTER II. WATER SUPPLY	14 15 20 23 24
CHAPTER III. FLOOD EVENTS	27
APPENDIXES Appendix A: Sacramento River Crest and Weir Overflow Records (Figures)	41
A-1 Sacramento River Historical Crest Profile	42 43 44 45 46 47 48
Appendix B: Peak Flows and Stages at Selected Streams and Stations in California (Tables)	49 49
Peak Flows and Stages North Coastal Area San Francisco Bay Area Central Coastal Area South Coastal Area Central Valley Area Northern Lahontan Area Southern Lahontan Area Legend.	50 52 56 58 62 72 72 74

CONTENTS (Continued)

		Page
	FIGURES	
	FIGURES	
1	Counties Proclaimed Disaster Areas During Water	
_	Year 1975-76	ii
2	Hydrologic Basins of California	ix
3	Water Year Precipitation in Inches (Millimetres), October 1, 1976 - September 30, 1977	v
4	Surface Weather Map for December 25, 1976	х 2
5	Water Year Precipitation in Percent of Normal,	2
,	October 1, 1976 - September 30, 1977	6
6	Precipitation Accumulation at Selected Stations,	
	October 1976 - April 1977	7
7	Annual Variation in Precipitation at Selected Cities	8
8	Isohyets of Precipitation in Millimetres for	
	Hurricane "Doreen" August 16-18, 1977	10
9	Water Content of Snowpack Accumulation in Percent	
	of April 1 Average	12
10	Snowpack in Percent of Average, April 1, 1977	13
11	Unimpaired Runoff, 1976-77	15
12	Annual Unimpaired Runoff at Selected Stations	18
13	Water Transfers and Outflow, 1976-77	24
14	Hydrograph of Tisdale Weir	27
15	Southern California Reference Map for August 1977	2.0
16	Doreen Storm Damage	30
10	Figures 17-22	34
17	Hydrographs of Shasta Lake and Sacramento River	35
18	Hydrograph of Lake Oroville	36
19	Hydrographs of Folsom Lake and Sacramento River	37
20	Hydrographs of Smith River, Trinity and Klamath Rivers.	38
21	Hydrographs of Eel and Russian Rivers	39
22	Flood Control Operation of Prado Dam and Reservoir	40
	TABLES	
1	Precipitation Amounts at Selected Stations During	
	Water Year 1976-77	5
2	Water Year 1976-77	16
3	Storage in Major Reservoirs	20
4	Storage in Major Reservoirs	22
5	Comparisons of Water Supply Forecasts with Observed	
	Unimpaired Runoff	23

State of California EDMUND G. BROWN JR., Governor

The Resources Agency HUEY D. JOHNSON, Secretary for Resources

DEPARTMENT OF WATER RESOURCES RONALD B. ROBIE, Director

ROBIN R. REYNOLDS Deputy Director GERALD H. MERAL Deputy Director ROBERT W. JAMES Deputy Director

CHARLES R. SHOEMAKER
Assistant Director

DIVISION OF FLOOD MANAGEMENT

This Bulletin was prepared under the direction

of

ALVIN J. BROWN Chief, Snow Surveys Branch DONALD H. NEUDECK. Chief, Flood Operations Branch

by

Assisted by

Drafting under the direction of

KEN YOSHIKAWA. Senior Delineator, Water Resources

CONVERSION FACTORS

English to Metric System of Measurement

Quantity	English unit	Multiply by	To get metric equivalent
Length	inches (in)	25.4	millimetres (mm)
		.0254	metres (m)
	feet (ft)	.3048	metres (m)
	miles (mi)	1.6093	kilometres (km)
Area	square inches (in ²)	6.4516 × 10 ⁻⁴	square metres (m ²)
	square feet (ft ²)	.092903	square metres (m ²)
	acres	4046.9	square metres (m ²)
		.40469	hectares (ha)
		.40469	square hectometres (hm²)
	,	.0040469	square kilometres (km²)
	square miles (mi ²)	2.590	square kilometres (km²)
Volume	gallons (gal)	3.7854	litres (1)
		.0037854	cubic metres (m ³)
	million gallons (10 ⁶ gal)	3785.4	cubic metres (m ³)
	cubic feet (ft ³)	.028317	cubic metres (m ³)
	cubic yards (yd³)	.76455	cubic metres (m ³)
	acre-feet (ac-ft)	1233.5	cubic metres (m ³)
	40.6 (40 11)	.0012335	cubic hectometres (hm³)
		1.233 × 10 ⁻⁶	cubic kilometres (km³)
Volume/Time			
(Flow)	cubic feet per second (ft ³ /s)	28.317	litres per second (1/s)
		.028317	cubic metres per second (m ³ /s)
	gallons per minute (gal/min)	.06309	litres per second (I/s)
		6.309 × 10 ⁻⁵	cubic metres per second (m ³ /s)
	million gallons per day (mgd)	.043813	cubic metres per second (m ³ /s)
Mass	pounds (lb)	.45359	kilograms (kg)
	tons (short, 2,000 lb)	.90718	tonne (t)
		907.18	kilograms (kg)
Power	horsepower (hp)	0.7460	kilowatts (kW)
Pressure	pounds per square inch (psi)	6894.8	pascal (Pa)
Temperature	Degrees Fahrenheit (°F)	$\frac{tF + 32}{1.8} = tC$	Degrees Celsius (°C)

FIGURE 2. HYDROLOGIC BASINS OF CALIFORNIA





FIGURE 3. WATER YEAR PRECIPITATION IN INCHES (MILLIMETRES)

OCTOBER 1, 1976 - SEPTEMBER 30, 1977



CHAPTER I - WEATHER

During Water Year 1976-77, the characteristic feature of the weather pattern was one of high atmospheric pressure along the West Coast with a marked northward shift of the Pacific storm track into northerly latitudes. The pattern of the water year was largely similar to the pattern of the 1975-76 water year, except that the high pressure was even more pronounced, with even Oregon and Washington suffering from a deficit of precipitation.


The storm track was displaced to latitudes north of 50°N, and Alaska experienced storm systems with above-normal temperatures and above-normal precipitation. The winter was so warm in Alaska that Cook Inlet had very little ice, for the first time in the memory of old timers. In the Bering Sea, the edge of the polar pack ice was further north than normal. A typical weather map depicting the winter pattern in 1976-77 is shown in Figure 4. The surface weather map is for Christmas Day, 1976 (0400 PST), and shows the high and low (atmospheric) pressure systems and the fronts separating dissimilar air masses.


Many individuals have raised the question as to why the high pressure was so persistent over the West for so many months. Certainly not all the answers are known at this time, but there are factors which contributed to the nearly stationary pattern. Dr. Jerome Namias at Scripps Institution of Oceanography, a prominent meteorologist who has studied global weather patterns for many years, has pointed out a number of physical events contributing to the odd pattern in 1976-77. Some of the events which took place are discussed in the following paragraphs.

During Fall 1976 a ridge of high pressure in the atmosphere was situated near the West Coast. This was the beginning of a chain of events that affected the winter pattern. Anomalous (i.e., departing from normal) south winds over the eastern Pacific (California coast to 140°W longitude) began a transport of warm ocean water northward. The south winds, being warm, extracted comparatively little heat from the ocean. Over the eastern Pacific, the sea-surface temperatures rose several degrees Celsius above normal during October and November. The addition of this heat to the overlying atmosphere helped to strenghten the south winds in the atmosphere, which in turn intensified the ridge of high pressure.

In addition to the warmer-than-normal water in the eastern Pacific, there existed abnormally cold water (2 to 4°C) in the central Pacific (west of 140°W). The contrast between the cold and warm waters spread into the overlying atmosphere and stimulated a storm track along the zone of strong contrast in sea surface temperatures into Alaska, and also strengthened the south winds which kept the storm track in its far northerly position.

FIGURE 4. SURFACE WEATHER MAP FOR DECEMBER 25, 1976





During the winter months (December, January, February), upper level weather maps (the free air wind pattern) usually showed a slight ridge of high pressure (i.e., a northward bulge of the windflow streamlines) over the West. This is a climatological normal state which is related to the influence of the earth's mountain ranges and heat source and sink areas.* The ridge amplification which took place in Fall 1976 was, therefore, operating on a favored location of a ridge of high pressure on the normal charts. This was a big factor in keeping this unusual weather pattern stationary.

Because the upper level winds in the atmosphere blow in a meandering pattern (such as the currents in a river channel), a ridge of high pressure at one location creates a trough of low pressure downstream. Thus, in the Winter 1976-77, a deeper-than-normal trough of low pressure was established over the eastern United States, and this pattern set in motion the transport of very frigid arctic air into the East. Precipitation in the East fell as snow and a widespread snow cover served, in turn, to further refrigerate the cold air masses coming out of Canada. This process helped to anchor the trough of low pressure at a very optimum wave length from the West Coast ridge. The East experienced a very cold winter with a heavy snowfall, while the West had the favorable ridge of high pressure and an absence of rainfall.

There were two brief periods during Winter 1976-77 when a flow pattern from the west broke into the stagnant high pressure ridge. The first was at the end of December 1976 extending into the first few days of January 1977; the second was around February 20. Although precipitation occurred in California with the breakthrough of upper level west winds, these were only temporary dislodgments of the high pressure regime, and the atmosphere soon reverted back to the drought pattern. However, the first breakthrough did result in the intensification of a frontal system as it moved into Southern California in the first seven days of January 1977. Significant precipitation fell in that area and accounted for three month winter quarter accumulations at many Southern California stations exceeding 60 percent of normal, in contrast to 20 to 30 percent of normal accumulations in the northern part of the State. (See Table 1.)

The impact of the precipitation deficit can be seen by reference to Figures 5 and 6 and Table 1. In Figure 6 are graphs of the accumulated precipitation for selected stations in different hydrologic basins of the State. The graphs begin on October 1,

^{*} In meteorology, a source is an area where energy (such as heat) is added to a system either instantaneously or continuously. Conversely, a sink is an area where energy is removed.

1976 and extend to April 30, 1977; also shown for comparison are the normal accumulations. The 1976-77 curves are significantly below the normal curves. In Table 1 are the precipitation totals for 23 stations in ten hydrologic basins of California for the following time periods: October-November, the winter quarter, spring quarter, and water year (October to September). Precipitation totals are expressed in millimetres and inches, and in percent of normal. The percent of normal figures in the table bear out the dryness of the season, especially in the winter quarter, when normally the rains are the heaviest. The statewide distribution of percent-of-normal isopleths (lines of equal percent of normal) for the Water Year 1977 are shown in Figure 5.

In the spring quarter (March, April, May) the trend of the drought weather pattern of winter continued into March and April, resulting in below-normal precipitation. In May, however, stronger weather fronts began to move into the State and brought above-normal precipiation. The amounts in the Sierra Nevada for May were two to three times normal, but in Southern California they were higher--ten to twenty times normal. These late spring rains, though, did little to significantly alleviate the precipitation deficit of the previous seven months--statewide or even locally.

A significant weather event occurred late in the Water Year in the form of a hurricane in August 1977. Rated first as a tropical storm, the system formed off the coast of Mexico on August 13, 1977, and was given the name "Doreen". The storm center tracked northwestward and reached a point near the top of Baja California on August 15. By that time Doreen had intensified and was classified as a full-fledged hurricane with wind speeds in excess of 118 kilometres per hour (73 miles per hour). The counterclockwise circulation around the hurricane was beginning to spread cloud layers over Southern California. By August 16, the circulation had weakened sufficiently and the winds diminished so that Doreen was downgraded again to tropical storm category. Nevertheless, precipitation spread into California on the sixteenth and within the next three days affected a large portion of Southern California. track of the 12-hourly positions of Doreen and the isohyets of the 3-day rainfall are shown in Figure 8. The storm path lay parallel and close to the coast of Baja California. Doreen's center entered the California coast near El Toro Marine Corps Air Station on the evening of August 17 and quickly lost its identity as the storm center filled.

Precipitation in the coastal plains amounted to 75 millimetres (near 3 inches), but the heavier areas were in the Imperial Valley with 100 millimetres (4 inches), in the San Jacinto Mountains (west of Palm Springs) with 150 millimetres (6 inches) and in eastern San Bernardino County with 150 millimetres (6 inches).

Some of the stations which reported storm totals of more than 100 millimetres included:

San Diego County

Cuyamaca Palemar Mountain Observatory Crawford Ranch

Imperial County

Brawley 2 SW

Riverside County

Mount San Jacinto Park Snow Creek Upper

San Bernardino County

Mitchell Caverns Mill Creek Intake

TABLE 1. PRECIPITATION AMOUNTS AT SELECTED STATIONS **DURING WATER YEAR 1976-77**

HYDROLOGIC BASIN	ELE/	/ATION				PREC	PRECIPITATION FOR SELECTED FERIODS							
Station	feet	metres	Oct Nov. 1976 (milli - Percent inches metres) Normal		Wi	Winter Quarter (milli- Percent inches metres) Normal		Sp inches	Spring Quarter (milli- Percent inches metres) Normal			Water Year (milli- Percent inches metres) Normal		
NORTH COAST Gasquet RS Eureka Fort Bragg	384 60 80	117 18 24	4.69 3.26 2.80	119 83 71	21 38 36	13.35 4.66 5.05	339 118 128	29 25 25	16.17 7.63 h.95	411 194 126	72 76 52	45.23 19.17 16.56	1149 487 421	48 49 43
SACRAMENTO Shasta Dam Blue Caryon Sacramento CI	1075 5280 84	328 1610 26	1.63 3.19 .62	41 81 16	15 27 21	6.19 9.18 3.08	157 233 78	20 28 30	9.56 9.33 2.45	243 237 62	65 57 56	26.58 24.40 6.71	675 620 170	45 39 37
SAN JOAQUIN Fresno AP	328	100	2.42	61	150	1.48	38	25	2.24	57	70	6.20	157	57
TULARE LAKE Grant Grove Bakersfield	6600 495	2013 151	1.57	40 11	21 46	5.74 .78	146 20	26 26	5.67 1.87	144 47	96 42	14.34 4.18	364 106	33 69
SAN FRANCISCO BAY Napa State Hospital Kentfield San Francisco CI	60 128 130	18 39 40	1.72 3.84 1.42	14 98 36	61 45 40	4.52 10.30 4.68	115 262 119	33 36 40	4.27 6.20 2.63	108 157 67	74 61 56	11.23 23.39 9.62	285 594 244	46 49 47
CENTRAL COAST Monterey San Luis Obispo Santa Barbara	385 315 5	117 96 2	1.32 1.53 1.18	34 39 30	42 50 49	4.65 4.58 5.14	118 116 131	47 34 48	3.00 5.48 4.55	76 139 116	64 101 105	9.75 11.62 11.47	248 295 291	53 53 65
SOUTH COASTAL AREA* Mt. Wilson 2 Los Angeles CC San Diego AP	5709 257 13	17 ⁴ 1 78 4	2.11 .73 1.13	5 ⁴ 19 29	44 37 71	13.12 3.76 3.48	333 96 88	69 42 61	11.82 4.92 2.41	300 125 61	149 146 100	29.68 11.67 9.18	754 296 233	91 80 92
NORTH LAHONTON Susanville AP	4146	1264	.28	7	10	2.77	70	36	1.89	48	61	7.15	182	48
SOUTH LAHONTON Bishop AP Barstow	4108 2160	1253 659	.02 •53	0.5 13	2 77	.99 1.06	25 27	31 65	.66	17 29	61 146	2.79 4.36	71 111	49 110
COLORADO RIVER Palm Springs Imperial	425 -64	130 -20	.40 .58	10 15	49 141	2.17	55 6	69 20	.10	3	11 13	4.99 4.72	27 120	90 184

^{*} South Coastal Area includes the Los Angeles, Santa Ana, and San Diego Hydrologic Basins

Metric Equivalents: l inch = 25.4 millimetres (mm) l foot = 0.305 metre (m)

Winter Quarter=December, January, February Spring Quarter=March, April, May

FIGURE 5. WATER YEAR PRECIPITATION IN PERCENT OF NORMAL OCTOBER 1, 1976 - SEPTEMBER 30, 1977








FIGURE 6. PRECIPITATION ACCUMULATION AT SELECTED STATIONS,
OCTOBER 1976 - APRIL 1977















FIGURE 8. ISOHYETS OF PRECIPITATION IN MILLIMETRES FOR HURRICANE "DOREEN" AUGUST 16-18, 1977





TRACK OF HURRICANE "DOREEN"
AUGUST 1977



HOME ON HIGHWAY 111 BECOMES AN ISLAND



OFFRAMP ON FREEWAY UNDER WATER



BOWKER ROAD BECOMES A LAKE

Doreen Dumps 4.2 Inches... Havoc in Fields, Homes

IMPERIAL COUNTY




TOO MUCH WATER FOR COTTON



ALAMO'S FLOW THREATENS 111 BRIDGE

FIGURE 9. WATER CONTENT OF SNOWPACK ACCUMULATION IN PERCENT OF APRIL 1 AVERAGE




Snowpack water storage on April 1, 1977, was the lowest in 47 years in all basins except the Trinity and Feather Rivers. Snowpack was nearly depleted at elevations below 7,000 feet, and sustained snowmelt was already occurring at high elevations by April 1. The expected average increase in snowpack of from 10 percent to 15 percent in the month of March did not occur, and by April 1 the snowpack was only 25 percent of normal. record low in snow water content was set for most watersheds in California. By April 1, it was evident that little relief from the drought was to be expected during the remaining months of the water year.

Snowmelt began in late March and was essentially completed early in May 1977. Normally on May 1 about 70 percent of the seasonal snow accumulation is still available for snowmelt runoff, but the snowpack had already decreased to about 5 percent of average. About 75 percent of the snow courses measured were bare. NASA satellite imagery indicated the effective snow line elevation on May 1 ranged from approximately 2 140 metres (7,000 feet) in the San Joaquin Basin to 2 410 metres (7.900 feet) in the Kern Basin. The combined snowcovered area of the San Joaquin, Kings, Kaweah, Tule, and Kern River Basins on May 1 was 7 100 square kilometres (2,750 square miles) compared to 6 480 km² (2,500 square miles) of snowcovered area the year before. A late April 1977 storm increased the snowcovered area, but the snowpack contained 15 percent less water content than the May 1976 snowpack.

April 1 snowpack, in percent of average for individual river basins, is depicted in Figure 10, and seasonal snowpack accumulation curves are shown in Figure 9.

FIGURE 10. SNOWPACK IN PERCENT OF AVERAGE APRIL 1, 1977



UNIMPAIRED RUNOFF

Unimpaired runoff during the 1976-77 water year was only 24 percent of normal, compared to 50 percent of normal for the 1975-76 water year. The second consecutive year of low precipitation and low water content in the snowpack resulted in record low runoff in many of the rivers in the State. Runoff from interior basins ranged from a high of 48 percent of average for the Sacramento River to a low of 7 percent for the Cosumnes River. San Francisco Bay hydrologic basin and Central Coast basin values were a mere 1 and 5 percent of normal, respectively. North Coast basins declined from 60 percent of average in 1975-76 to only 14 percent of normal for 1976-77. Streamflow from the Central Valley, and from the Lahontan and South Coastal areas, was 20 to 30 percent of average. The statewide average runoff amounted to only 24 percent of normal and added greatly to the water deficit caused by the previous dry year. Water year percentages for major hydrologic basins are listed in the table below.

As the water year progressed it became evident, by the lack of the State's seasonal accumulation of snowpack, that the serious drought of 1975-76 was continuing into 1976-77. On April 1, 1976, the statewide snow water content was 40 percent of average; one year later it was 25 percent of average. April-July runoff percentages varied from 8 percent of normal in the Tule River to 46 percent in the drainage area above Oroville Dam with most values in the 18 and 24 percent range.

Detailed data for individual streams are shown in Figure 11 and Table 2, and annual variations on runoff since 1921 for eight streams are shown in Figure 12.

UNIMPAIRED RUNOFF BY AREA

HYDROLOGIC BASIN	WATER YEAR UNIMPAIRED FLOW IN PERCENT OF NORMAL
North Coast	14
San Francisco Bay	1
Central Coast	5
South Coastal Area (1)	26
Central Valley Area Sacramento San Joaquin and	20
Tulare Lake	20
Lahontan Area (2)	30
ENTIRE STATE	24

⁽¹⁾ Includes Los Angeles, Santa Ana, and San Diego Basins.

⁽²⁾ Includes North and South Lahontan Basins.

FIGURE 11. UNIMPAIRED RUNOFF, 1976-77 WATER YEAR OCTOBER 1 – SEPTEMBER 30




TABLE 2. STREAMFLOW DATA FOR SELECTED STREAMS (ENGLISH UNITS)

		SNOWMELT P APRIL 1, 1977 -			остов	WATER YEA ER 1, 1976 - SEP			
	WEACHD ED		IRED RUNOFF (2	2)	MEASUREO	UNIMPAIRED RUNOFF (2)			
BASIN, STREAM, AND STATION	MEASUREO FLOW	50-YEAR	PERIOD	PERCENT OF	FLOW	50-YEAR AVERAGE	ANNUAL TOTAL	P ERC ENT OF	
(1)	ACRE-FEET	AVERAGE AC-FT (3)	TUTAL ACRE-FEET	AVERAGE	ACRE-FEET	AC-FT (3)	ACRE-FEET	AVERAGE	
MODELL COAST BACAN									
NORTH COAST BASIN KLAMATH, COPCO TO ORLEANS (4)					1,550,000	4,430,000	1,015,000	23 21	
SALMON AT SOMESBAR		617.000	112 000	18	257,000 121,000	1,220,000 1,230,000	257,000 199,000	16	
TRINITY AT LEWISTON	36,300	617,000	113,000		401,000	5,380,000	404,000	8	
EEL AT SCOTIA RUSSIAN NEAR NEALOSBURG					72,800	799,000	47,000	6	
SAN FRANCISCO BAY BASIN					1,300	66,500	1,300	2	
NAPA NEAR ST. HELENA COYOTE CREEK NEAR MADRONE					22,800	45,400	0	ō	
CENTRAL COAST BASIN							5 100		
ARROYO SECO NEAR SOLEDAD NACIMIENTO BELOW NACIMIENTO DAM,					5,100	109,000	5,100	5	
NEAR BRADLEY					43,800	191,000	8,900	5	
SANTA YNEZ ABOVE GIBRALTAR DAM, NEAR SANTA BARBARA					(11)	40,800	6,100(5)	15(5)	
LOS ANGELES BASIN SESPE CREEK NEAR FILLMORE					13,600(6)	76,900	13,600	18	
SANTA ANA BASIN SANTA ANA NEAR MENTONE					23,000	55,000	18,000	33	
SAN DIEGO BASIN SAN LUIS REY AT OCEANSIDE					(11)	38,200	26,700(5)	70(5)	
SACRAMENTO BASIN INFLOW TO SHASTA (8)	798,500	1,780,000	798,500	45	2,628,000	5,480,000	2,628,000	48	
SACRAMENTO ABOVE BENO BRIDGE, NEAR RED BLUFF (9)	2,252,000	2,420,000	1,103,000	46	5,065,000	7,950,000	3,422,000	43	
FEATHER, INFLOW TO OROVILLE	415,900	1,860,000	397,000	21	1,103,000	4,290,000	1,013,000	24	
YUBA AT SMARTVILLE (10)	105,000	1,080,000	198,000	18	303,000	2,270,000	339,000	15	
AMERICAN, INFLOW TO FOLSOM	174,000	1,320,000	233,000	18	570,000	2,570,000	357,000 19,400(5)	14	
STONY CREEK BELOW BLACK BUTTE DAM					(11)	387,000 515,000	25,800(5)	5 (5) 5 (5)	
CACHE CREEK NEAR CAPAY PUTAH CREEK NEAR WINTERS					(iii)	360,000	18,000(5)	5 (5) 5 (5)	
SAN JOAQUIN BASIN	5,800	132,000	13,000	10	15,900	351,000	26,000	7	
COSUMNES AT MICHIGAN BAR MOKELUMNE, INFLOW TO PAROSE	65,500	466,000	105,500	23	148,000	705,000	134,400	19	
STANISLAUS, INFLOW TO MELONES	1,300	717,000	119,600	17	4,700	1,090,000	161,500	15	
TUOLUMNE, INFLOW TO DON PEORO	226,000	1,190,000	275,000	23 21	479,000 260,000	1,790,000	339,000 152,000	19 17	
MERCED, INFLOW TO EXCHEQUER	265,000	608,000	128,000		(11)	10,800	540(5)	5(5)	
ORESTIMBA CREEK NEAR NEWMAN SAN JOAQUIN, INFLOW TO MILLERTON	163,000	1,190,000	262,000	22	377,000	1,660,000	362,000	22	
TULARE LAKE BASIN	250,000	1,160,000	274,000	24	401,000	1,570,000	386,000	25	
KINGS, INFLOW TO PINE FLAT KAWEAH, INFLOW TO TERMINUS	62,000	270,000	62,000	23	95,000	403,000	95,000	24	
LOS GATOS CREEK NEAR COALINGA					(11)	3,000	150(5)	5 (5)	
TULE, INFLOW TO SUCCESS KERN, INFLOW TO ISABELLA	4,700 91,500	59,200 420,000	4,700 91,500	8 22	16,000 186,000	133,000 527,000	16,000 186,000	12 35	
NORTH LAHONTAN BASIN									
SUSAN AT SUSANVILLE		26, 200			(11)	50,000(5)	15,000(5)	30(5)	
TRUCKEE, TAHOE TO FARAO (4) WEST FORK CARSON AT WOODFORDS	97,460 12,300	264,000 51,100	58,390 12,300	22 24	467,000 18,600	381,00U 70,100	847,000 18,600	22 27	
EAST FORK CARSON NEAR GARONERVILLE WEST WALKER BELOW LITTLE WALKER,	42,900	182,000	42,900	24	62,800	248,000	62,800	25	
NEAR COLEVILLE	34,900	143,000	34,900	24	47,200	177,000	47,200	27	
EAST WALKER NEAR BRIDGEPORT	22,100	60,300	8,300	14	30,200	106,000	26,600	25	
SOUTH LANONTAN BASIN									
OWENS BELOW LONG VALLEY DAM MOJAVE AT BARSTOW	33,100	59,500 	19,700	33	130,800 (11)	142,000 90,000(5)	79,700 31,500(5)	56 35 (5)	
COLORADO RIVER BASIN									
COLORADO, INFLOW TO LAKE POWELL	1,673,000	7,640,000	1,203,000	16	5,374,000	11,300,000	3,575,000	32	

⁽¹⁾ RESERVOIR INFLOW DATA ARE BASED ON DBSERVED FLOWS AT STATIONS DOWNSTREAM FROM LISTED FACILITY.
(2) THE UNIMPAIRED RUNOFF OF A STREAM AT ANY STATION IS THE RUNOFF WHICH WOULD HAVE OCCURRED UNDER NATURAL CONDITIONS, UNALTERED BY UPSTREAM DIVERSIONS, STORAGE DEVELOPMENTS, OR BY EXPORTATION OR IMPORTATION OF WATER TO OR FROM OTHER WATERSHEOS.
(3) AVERAGES ARE COMPUTED FOR THE 50-YEAR PERIOD 1921-70.
(4) ACCRETIONS BETWEEN STATIONS.
(5) SET MATER VALUE

ACCRETIONS BETWEEN STATIONS.

ESTIMATED VALUE.
INCLUDES FILLMORE IRRIGATION COMPANY CANAL.
INCLUDES SOUTHERN CALIFORNIA EDISON COMPANY CANAL.
COMPUTED FROM OPERATING RECORDS -- UNADJUSTED FOR UPSTREAM REGULATION.
UNIMPAIRED FLOWS COMPATIBLE TO THOSE AT DISCONTINUED STATION NEAR RED BLUFF.
INCLUDES DEER CREEK.
DATA NOT AVAILABLE AT TIME OF PUBLICATION.


⁽³⁾ (4) (5) (6) (7) (8) (9) (10) (11)


TABLE 2. STREAMFLOW DATA FOR SELECTED STREAMS (METRIC UNITS)


		SNOWMELT APRIL 1, 1977 -			WATER YEAR OCTOBER 1, 1976 - SEPTEMBER 30, 1977					
			A IRED RUNOFF (2)				0)		
BASIN, STREAM, AND STATION	MEASURED FLOW	50-YR AVG 3)	PERIOD TOTAL	PERCENT	MEASURED FLOW	50-YR AVG (3)	ANNUAL TOTAL	PERCENT		
	HECTOMETRES	CUBIC	CUBIC	0F	C BIC HECTOMETRES	CUBIC	CUBIC	OF		
(1)	TECTOTIC TRES	HECTOMETRES	HECTOMETRES	AVERAGE	MECTORETRES	HECTOMETRES	HECTOMETRES	AVERAGE		
MODELL COLCE DAS IN										
NORTH COAST BASIN KLAMATH, COPEO TO ORLEANS (4)					1 900	5 460	1 250	23		
SALMON AT SOMESBAR					317	1 510	317	21		
TRINITY AT LEWISTON	45	761	139	18	149	1 520	245	16		
EEL AT SCOTIA					495	6 640	498	8		
RUSSIAN NEAR HEALOSBURG					90	986	58	6		
SAN FRANCISCO BAY BASIN										
NAPA NEAR ST. HELENA					2	82	2	2		
COYOTE CREEK NEAR MADRONE					281	56	0	0		
CENTRAL COAST BASIN										
ARROYO SEEO NEAR SOLEDAD					6	134	6	5		
NACIMIENTO BELOW NACIHIENTO DAM,					e).	226	1.1	_		
NEAR BRADLEY SANTA YNEZ ABOVE GIBRALTAR DAM,					54	236	11	5		
NEAR SANTA BARBARA					(11)	50	8	15(5)		
LOS ANGELES BASIN					1.7	05	1.7			
SESPE CREEK NEAR FILLMORE					17	95	17	18		
SANTA ANA BASIN										
SANTA ANA NEAR MENTONE					28	68	22	33		
SAN DIEGO BASIN										
SAN LUIS REY AT OCEANS IDE			~ m to		(11)	47	33(5)	70(5)		
							22(2)	, 5())		
SAERAMENTO BASIN			***							
INFLOW TO SHASTA (8) SACRAMENTO ABOVE BEND BRIDGE,	985	2 200	985	45	3 242	6 760	3 242	48		
NEAR RED BLUFF (9)	2 778	2 990	1 360	46	6 248	9 810	4 221	43		
FEATHER, INFLOW TO OROVILLE	513	2 290	490	21	(11)	5 290	(11)	24		
YUBA AT SMARTVILLE (10)	130	1 330	244	18	374	2 800	418	15		
AMERICAN, INFLOW TO FOLSOM STONY CREEK BELOW BLACK BUTTE DAN	215	1 630	287	18	703 (11)	3 170	440	14		
CACHE CREEK NEAR CAPAY					(11)	477 635	24 32	5(5) 5(5)		
PUTAH CREEK NEAR WINTERS					(11)	444	22	5 (5)		
SAN JOAQUIN BASIN										
COSUMNES AT MICHIGAN BAR	7	163	16	10	20	433	32	7		
MOKELUMNE, INFLOW TO PARDEE	81	575	130	23	183	870	166	19		
STANISLAUS, INFLOW TO MELONES	2	884	148	17	6	1 340	199	15		
TUOLUMNE, INFLOW TO DON PEDRO MERCED, INFLOW TO EXCHEQUER	279	1 470	339	23	591	2 210	418	19		
ORESTIMBA CREEK NEAR NEWMAN	327	750	158	21	32 t (11)	1 130	188	17 5(5)		
SAN JOAQUIN, INFLOW TO MILLERTON	201	1 470	323	22	465	2 050	446	22		
THI ADE LAVE DACIN										
TULARE LAKE BASIN KINGS, INFLOW TO PINE FLAT	308	1 430	338	24	495	1 940	476	25		
KAWEAH, INFLOW TO TERMINUS	76	333	(11)	23	(11)	497	(11)	24		
LOS GATOS CREEK NEAR COALINGA					(11)	4	0 2(5)	5 (5)		
TULE, INFLOW TO SUCCESS KERN, INFLOW TO ISABELLA	6	73 518	6	8	20	164	20	12		
ACTUS THE LOW TO TOMOCEDA	113	310	113	22	229	773	229	35		
NORTH LAHONTAN BASIN										
SUSAN AT SUSANVILLE TRUCKEE, TAHGE TO FARAD (4)					(11)	62 (5)	19(5)	30(5)		
WEST FORK CARSON AT WOODFORGS	120 15	326 63	72 15	22 24	576 23	470 86	105 23	22 27		
EAST FORK CARSON NEAR GARONERVILLE	53	225	53	24	77	306	77	25		
WEST WALKER BELOW LITTLE WALKER,										
NEAR COLEVILLE EAST WALKER NEAR BRIDGEPORT	43	176	43	24	58	218	58	27		
DAST WALKER NEAR BRIDGEFUXT	27	74	10	14	37	131	33	25		
SOUTH LAHONTAN BASIN										
OWENS BELOW LONG VALLEY DAM	41	73	24	33	161	175	98	56		
MOJAVE AT BARSTOW					(11)	111(5)	39(5)	35 (5)		
EOLORADO RIVER BASIN										
COLORADO, INFLOW TO LAKE POWELL	2 064	9 420	1 484	16	6	13 900	4 409	32		


⁽¹⁾ RESERVOIR INFLOW DATA ARE BASED ON OBSERVED FLOWS AT STATIONS DOWNSTREAM FROM LISTED FACILITY.
(2) THE UNIMPAIRED RUNDER OF A STREAM AT ANY STATION IS THE RUNDEF WHICH WOULD HAVE OCCURRED UNDER NATURAL CONDITIONS, UNALTERED BY UPSTREAM DIVERSIONS, STORAGE DEVELOPMENTS, OR BY EXPORTATION OR IMPORTATION OF WATER TO OR FROM OTHER WATERSMEDS.
(3) AVERAGES ARE COMPUTED FOR THE 50-YEAR PERIOD 1921-70.
(4) ACCRETIONS BETWEEN STATIONS.
(5) ESTIMATED VALUE.
(6) INCLUDES FILLMORE IRRIGATION COMPANY CANAL.
(7) INCLUDES FULLMORE IRRIGATION COMPANY CANAL.
(8) COMPUTED FROM OPERATING RECORDS -- UNAUJUSTED FOR UPSTREAM REGULATION.
(9) UNIMPAIRED FLOWS COMPATIBLE TO THOSE AT DISCONTINUED STATION NEAR RED BLUFF.
(10) INCLUDES DEER CREEK.
(11) DATA NOT AVAILABLE AT TIME OF PUBLICATION.


⁽³⁾ (4) (5) (6) (7) (8) (9) (10) (11)











-19-

TABLE 3. STORAGE IN MAJOR RESERVOIRS (ENGLISH UNITS)

			CAPAC ITY	T STORAGE AS	OF OCTOBER	1 1000 ACRE-FEET (1)		
HYDROLOGIC BASIN	RESERVOIR	OPERATOR	1000 ACRE-FEET	1D-YEAR AVERAGE			PERCENT	
AND STREAM			(1)	1967-1976	1976	1977	OF AVERAGE	
NORTH COAST BASIN	UPPER KLAMATH(2)	US BUREAU RECLAMATION	584	297	371	224	76	
KLAMATH RIVER	CLEAR LAKE(2)	US BUREAU RECLAMATION	527	253	228	147	58	
TRINITY RIVER	CLAIR ENGLE	US BUREAU RECLAMATION	2,450	1,860	1,503	242	13	
RUSSIAN RIVER	LAKE MENOOCINO	US CORPS OF ENGINEERS	123	57	34	13	23	
SAN FRANCISCO BAY BASIN								
CALAVERAS CREEK	CALAVERAS (3)	CITY-CO SAN FRANCISCO	100	56	30	27	49	
CENTRAL COAST BASIN					-1.			
SAN ANTONIO RIVER	SAN ANTONIO	MONTEREY CO FCWCO	350	220 119	243	52 22	24	
NACIMIENTO RIVER SANTA YNEZ RIVER	HAC INTENTO CACHUMA	MONTEREY CO FCWCD US BUREAU RECLAMATION	350 205	170	57 145	112	19 66	
SAMIA THEZ KIVEK	CACHOPA	03 BORDAO RECEARATION		,,-				
SOUTH COAST (8) COYOTE CREEK	CACITAC	CASITAS MUNICIPAL VO	254	193	204	182	94	
PIRU CREEK	CASITAS LAKE PIRU	CASITAS MUNICIPAL WO UNITED WATER CON DIST	101	24	12	14	57	
PIRU CREEK	*PYKAM10(3)	CALIF OEPT WATER RES	171	164(6)	163	165	100	
CASTAIC CREEK	CASTAIC (3)	CALIF DEPT WATER RES	324	213 (6)	237	58	26	
TO LO CA IALCO COCEV	PERRIS(3)	CALIF OPPT WATER RES	132 182	92 (6) 111	87 90	75 109	81 98	
TRIB CAJALCO CREEK SAN JACINTO RIVER	LAKE MATHEWS (4) LAKE ELS INORE	METROPOLITAN WATER DIST CALIF DEPT PARKS AND REC	125	22	90	8	96 36	
SAN LUIS REY RIVER	HENSHAW	VISTA IRRIGATION DIST	204	7	ž	ĭ	18	
SAN DIEGO RIVER	EL CAPITAN(3)	CITY OF SAN DIEGO	117	22	9	15	69	
CENTRAL VALLEY (9)								
SACRAMENTO RIVER	SMASTA	US BUR EAU RECLAMATION	4,550	3,150	1,300	631	20	
CLEAR CREEK	WHISKEYTOWN	US BUR EAU RECLAMATION	241	223 821	239	217	97	
N FK FEATHER RIVER BUCKS CREEK	LAKE ALMANOR BUCKS LAKE	PAC GAS AND ELEC CO PAC GAS AND ELEC CO	1,310 103	63	579 49	542 37	66 58	
FEATHER RIVER	OROVILLE	CALIF DEPT WATER RES	3,540	2,461(6)	1,828	915	36	
NORTH YUBA RIVER	NEW BULLAROS BAR	YUBA CO WATER AGENCY	961	594(6)	344	258	42	
SOUTH YUBA RIVER	SPAULDING SYSTEH	PAC GAS AND ELEC CO	137 103	65 49	47 4	62	95 6	
BEAR RIVER H FK AMERICAN RIVER	CAMP FAR WEST FRENCH MEADOWS	SO SUTTER WATER DIST PLACER CO WATER AGENCY	134	83	41	3 38	46	
RUBICON RIVER	HELL HOLE	PLACER CO WATER AGENCY	208	130	109	78	60	
SILVER CREEK	UNION VALLEY	SACRAMENTO MUN UO	271	169	34	57	34	
AMERICAN RIVER	FOLSON	US BUREAU RECLAMATION	1,010 160	676	416	147	22	
STONY CREEK CACHE CREEK	BLACK BUTTE CLEAR LAKE	US CORPS OF ENGINEERS YOLO COUNTY FOWCO	420	30 71	21 0	0	5 0	
N FK CACHE CREEK	INDIAN VALLEY	YOLO COUNTY FCWCO	300	0(6)	ő	ŏ	ŏ	
PUTAH CREEK	LAKE BERRYESSA	US BUREAU RECLAMATION	1,600	1,340	1,039	759	57	
N KF MOKELUHNE RIVER	SALT SPRINGS	PAC GAS AND ELEC CO	139	77 186	27	4	5	
MOKELUMNE RIVER MOKELUMNE RIVER	PAROEE CAMANCHE	EAST BAY MUN UD EAST BAY MUN UO	210 432	287	106 186	83 55	44	
CALAVERAS RIVER	NEW HOGAN	US CORPS OF ENGINEERS	325	145	71	11	19 8	
STANISLAUS RIVER	HELONES	PAC GAS AND ELEC CO	113	11	3	3	27	
CHERRY CREEK TUOLUMNE RIVER	CHERRY LAKE	CITY-CO SAN FRANCISCO	269	151	120	105	70	
TUOLUMNE RIVER	NETCH HETCHY ODN PEORO	CITY-CO SAN FRANCISCO TURLOCK-MODESTO ID	360 2,030	239 897(6)	121 687	113 307	47 33	
MERCEO RIVER	LAKE MCCLURE	HERCEO IRRIG DISTRICT	1,030	562	244	94	17	
SAN JOAQUIN RIVER	MAMMOTH POOL	SO CALIFORNIA EDISON CO	123	36	21	20	56	
MONO CREEK STEVENSON CREEK	THOMAS A EDISON SNAVER LAKE	SO CALIFORNIA EDISON CO SO CALIFORNIA EDISON CO	125	87 74	10	6	7	
SAN JOAQUIN RIVER	MILLERTON LAKE	US BUREAU RECLAMATION	135 521	181	28 224	29 197	39 109	
SAN LUIS CREEK	SAN LUIS (3)	US BUR EAU REC-CALIF OWR	2,040	1,521(6)	678	274	17	
HELMS CREEK	COURTR IGHT	PAC GAS AND ELEC CO	123	42	35	1	2	
N FK KINGS RIVER KINGS RIVER	WISHON PINE FLAT	PAC GAS AND ELEC CO US CORPS OF ENGINEERS	128 1,000	89 428	64	80	90	
KAWEAH RIVER	TERMINUS	US CORPS OF ENGINEERS	1,000	428 18	208 17	68 10	16 54	
KERN RIVER	ISABELLA	US CORPS OF ENGINEERS	570	185	70	36	20	
LAHONTAN (10)								
LITTLE TRUCKEE RIVER	STAMPEDE(2)	US BUR EAU RECLAMATION	227	135(6)	58	31	22	
TRUCKEE RIVER OWENS RIVER	LAKE TAHOE(2,7) LAKE CROWLEY	US BUREAU RECLAMATION LOS ANGELES DEPT WP	745 184	528 131	308	0	0	
		COS MINUCEES DELL ME	104	,,,	53	52	40	
COLORADO RIVER BASIN COLORADO RIVER	LAKE POWELL (2,7)	US BUREAU RECLAMATION	25,000	14,085	10 6/-1	16 1/1	115	
COLORADO RIVER	LAKE MEAO(2,7)	US BUREAU RECLAMATION	26,100	17,638	19,641 20,062	16,144 20,205	115 115	
COLORA OO RIVER	LAKE MOHAVE(2,7)	US BUREAU RECLAMATION	1,810	1,436	1,721	1,465	102	
COLORADO RIVER	LAKE HAVASU(2,7)	US BUREAU RECLAMATION	619	563	581	566	100	

CAPACITY AND STORAGE VALUES ROUNDED TO NEAREST THREE SIGNIFICANT NUMBERS. INTERSTATE RESERVOIR USED JOINTLY BY CALIFORNIA AND ADJACENT STATES. INCLUDES FOREIGN WATER.
STORES ONLY IMPORTED COLORADO RIVER WATER.
NEW RESERVOIR -- AVERAGE CONSIDERED EQUAL TO CURRENT STORAGE.
LESS THAN 10-YEAR AVERAGE.
DATA BASED ON ACTIVE OR USABLE CAPACITY TABLES.
SOUTH COAST INCLUDES LOS ANGELES, SANTA ANA, AND SAN DIEGO BASINS.
CENTRAL VALLEY INCLUDES SACRAMENTO, SAN JOAQUIN, AND TULARE LAKE BASINS.
LANDNTAN INCLUDES NORTH AND SOUTH LAHONTAN BASINS.

⁽²⁾ (3) (4) (5) (6) (7) (8) (9) (10)

TABLE 3. STORAGE IN MAJOR RESERVOIRS (METRIC UNITS)

W12A0 2120 000000			CAPACITY CUBIC	STORAGE AS OF	OCTOBER 1	CUBIC HECTOR	
HYDROLOGIC BASIN AND STREAM	R ES ER VOIR	OPERATOR	HECT OMETRES	10-YEAR AVERAGE 1967-1976	1976	1977	OF AVERAGE
NORTH COAST BASIN							
KLAMATH RIVER	UPPER KLAMATH(2)	US BUREAU RECLAMATION	720	366	458	276 181	76 58
KLAMATH RIVER	CLEAR LAKE(2)	US BUREAU RECLAMATION	650	312 2 294	281 1 854	300	13
TRINITY RIVER	CLAIR ENGLE	US BUREAU RECLAMATION	3 020 152	70	42	16	23
RUSSIAN RIVER	LAKE MENOOCINO	US CORPS OF ENGINEERS	. ,-				
CALAVERAS CREEK	CALAVERAS (3)	CITY-CO SAN FRANCISCO	123	69	37	33	49
CENTRAL COAST BASIN		MONTEREY CO FCWCD	432	271	300	64	24
SAN ANTONIO RIVER	SAN ANTON10 NAC 1H LENTO	MONTEREY CO FCWCO	432	147	70	27	19
NAC IMIENTO RIVER SANTA YNEZ RIVER	CACHUMA	US BUREAU RECLAMATION	253	210	179	138	66
SOUTH COAST (8)				207	252	225	94
COYOTE CREEK	CASITAS	CASITAS MUNICIPAL WO	313	386 30	252 15	17	57
PIRU CREEK	LAKE PIRU	UNITED WATER CON DIST	125 211	202 (6)	201	203	100
PIRU CREEK	PYRAMID(3) CASTAIC(3)	CALIF DEPT WATER RES	400	263 (6)	292	72	26
CASTAIC CREEK	PERRIS(3)	CALIF DEPT WATER RES	163	113(6)	107	93	81
TRIB CAJALCO CREEK	LAKE MATHEWS (4)	METROPOLITAN WATER DIST	224	137	111	134	98 36
SAN JACINTO RIVER	LAKE ELSINORE	CALIF OEPT PARKS AND REC	154 252	27 9	3	1	18
SAN LUIS REY RIVER SAN DIEGO RIVER	HENSHAW EL CAPITAN(3)	VISTA IRRIGATION DIST CITY OF SAN DIEGO	144	27	11	19	69
SACRAMENTO RIVER	SHASTA	US BUREAU RECLAMATION	5 610	3 886	1 604	778	20
CLEAR CREEK	WHISKEYTOWN	US BUREAU RECLAMATION	297	275	295	268 669	97 66
N FK FEATHER RIVER	LAKE ALMANOR	PAC GAS AND ELEC CO	1 620	1 013 78	714 60	46	58
BUCKS CREEK	BUCKS LAKE	PAC GAS AND ELEC CO	127 4 370	3 036(6)	2 255	1 129	36
FEATHER RIVER	OROVILLE NEW BULLAROS BAR	CALIF DEPT WATER RES YUBA CO WATER AGENCY	1 190	733 (6)	424	318	42
NORTH YUBA RIVER	SPAULDING SYSTEM	PAC GAS AND ELEC CO	169	80	58	76	95 6
BEAR RIVER	CAMP FAR WEST	SO SUTTER WATER DIST	127	60	5	47	46
M FK AMERICAN RIVER	FRENCH MEADOWS	PLACER CO WATER AGENCY	165	1 02 160	50 134	96	60
RUBICON RIVER	HELL HOLE	PLACER CO WATER AGENCY SACRAHENTO HUN UD	257 334	208	42	70	34
SILVER CREEK	UNION VALLEY FOLSOM	US BUREAU RECLAMATION	1 250	834	513	181	22
-AMERICAN RIVER STONY CREEK	BLACK BUTTE	US CORPS OF ENGINEERS	197	37	26	1	5 0
CACHE CREEK	CLEAR LAKE	YOLO COUNTY FCWCO	518	88	0	0	0
N FK CACHE CREEK	INDIAN VALLEY	YOLO COUNTY FCWCD	370 1 970	0(6) 1 653	1 282	936	57
PUTAH CREEK	LAKE BERRYESSA	US BUREAU RECLAMATION PAC GAS AND ELEC CO	171	95	33	5	. 5
N KF MOKELUMNE RIVER MOKELUMNE RIVER	SALT SPRINGS PAROEE	EAST BAY MUN UD	259	229	131	102	44
HOKELUMNE RIVER	CAMANCHE	EAST BAY MUN UD	533	354	229	68 14	19
CALAVERAS RIVER	NEW HOGAN	US CORPS OF ENGINEERS	401	179 14	88 4	4	27
STANISLAUS RIVER	MELONES	PAC GAS AND ELEC CO CITY-CO SAN FRANCISCO	139 332	186	148	130	70
CHERRY CREEK TUOLUMNE RIVER	CHERRY LAKE HETCH HETCHY	CITY-CO SAN FRANCISCO	444	295	149	139	47
TUOLUHNE RIVER	OON PEORO	TURLOCK-HOOESTO ID	2 500	1 106	847	379 116	33 17
MERCEO RIVER	LAKE MCCLURE	MERCED IRRIG DISTRICT	1 270	693 44	301 26	25	56
SAN JOAQUIN RIVER	MAMHOTH POOL	SO CALIFORNIA EDISON CO	152 154	107	12	7	7
MONO CREEK	THOMAS A EDISON SMAVER LAKE	SO CALIFORNIA EDISON CO	167	91	35	36	39
STEVENSON CREEK SAN JOAQUIN RIVER	MILLERTON LAKE	US BUREAU RECLAMATION	643	223	276	243	109
SAN LUIS CREEK	SAN LUIS(3)	US BUREAU REC-CALIF DWR	2 520	1 876(6)	836 43	338	17
HELMS CREEK	COURTR IGHT	PAC GAS AND ELEC CO	152	52 110	43 79	99	90
N FK KINGS RIVER	WISHON BINE FLAT	PAC GAS AND ELEC CO US CORPS OF ENGINEERS	158	528	257	84	16
KINGS RIVER	PINE FLAT TERMINUS	US CORPS OF ENGINEERS	185	22	21	12	54
KAWEAH RIVER KERN RIVER	ISABELLA	US CORPS OF ENGINEERS	703	228	86	L _L L _L	20
LAHONTAN (10)				10-10	70	20	22
LITTLE TRUCKEE RIVER	STAMPEDE(2)	US BUREAU RECLAMATION	280	167(6)	72 380	38 0	0
TRUCKEE RIVER	LAKE TAHOE (2,7)	US BUREAU RECLAMATION	919 227	651 162	65	64	40
OWENS RIVER	LAKE CROWLEY	LOS ANGELES DEPT WP	221	102			
COLORADO RIVER BASIN	LAVE POLICE (2 7)	US BUREAU RECLAMATION	30 800	17 374	24 227	19 914	115
COLORADO RIVER COLORADO RIVER	LAKE POWELL (2,7) LAKE HEAO (2,7)	US BUREAU RECLAMATION	32 200	21 756	24 746	24 923	115 102
COLORADO RIVER	LAKE HOHAVE(2,7)	US BUREAU RECLAMATION	2 230	1 771	2 123 717	1 807 698	100
COLORADO RIVER	LAKE HAVASU(2,7)	US BUREAU RECLAMATION	764	694	/1/	0,0	

CAPACITY AND STORAGE VALUES ROUNDED TO NEAREST THREE SIGNIFICANT NUMBERS.
INTERSTATE RESERVOIR USED JOINTLY BY CALIFORNIA AND ADJACENT STATES.
INCLUDES FOREIGN WATER.
STORES ONLY IMPORTED COLORAGO RIVER WATER.
NEW RESERVOIR -- AVERAGE CONSIDERED EQUAL TO CURRENT STORAGE.
LESS THAN 10-YEAR AVERAGE.
OATA BASEO ON ACTIVE OR USABLE CAPACITY TABLES.
SOUTH COAST INCLUDES LOS ANGELES, SANTA ANA, AND SAN DIEGO BASINS.
CENTRAL VALLEY INCLUDES SACRAMENTO, SAN JOAQUIN, AND TULARE LAKE BASINS.
LAHONTAN INCLUDES NORTH AND SOUTH LAHONTAN BASINS.

⁽¹⁾ (2) (3) (4) (5) (6) (7) (8) (9)

Water storage in 153 major reservoirs comprising most of the State's storage capacity was about 16 900 cubic hectometres (13.7 million acre-feet) on October 1, 1976. One year later, storage in these same reservoirs had declined to 9 700 hm (7.9 million acre-feet) or 38 percent of average and 23 percent of available capacity.

October storage in 78 major reservoirs in the Central Valley area was 7 278 hm (5.9 million acre-feet), a decline of 4 810 hm (3.9 million acre-feet) during the year. The October 1977 storage averaged about 36 percent of normal as compared to 58 percent one year before.

By the end of the water year 1976-77, most reservoirs had reached all-time low storage records. The decline in storage during the year ranged from 18 percent in the South Coastal area to 82 percent in the North Coastal area. Interstate storage reservoirs on the Colorado River (Lakes Powell, Mead, Mohave, and Havasu) had a moderate decline during the water year. Combined storage in these reservoirs was 111 percent of October 1 average as compared to 132 percent of October 1 average a year before.

TABLE 4. SUMMARY OF RESERVOIR STORAGE DATA
THOUSANDS OF ACRE-FEET (CUBIC HECTOMETRES)

BASIN	NUMBER OF RESERVOIRS	TOTAL CAPACITY	10-YEAR AVERAGE 1967-76	STORAGE OCTOBER 1 1977	PERCENT OF AVERAGE	PERCENT OF CAPACITY
INTRASTATE:					-	
NORTH COAST	8	2,940 (3 630)	2,120 (2 615)	389 (480)	18	13
SAN FRANCISCO BAY	18	696	405	286	70	41
CENTRAL COAST	9	(859) 1,050	(500) 618	(353) 261	42	25
SOUTH COAST (1)	31	(1 300) 2,300	(762) 1,105	(322) 853	77	37
SACRAMENTO	43	(2 840) 16.300	(1 363) 10,714	(1 052) 4,218	39	26
SAN JOAQUIN AND TULARE	LAKE 36	(20 100) 10,700	(13 216) 5,683	(5 ²⁰³)	30	16
LAHONTAN (2)	8	(13 ²⁰⁰) 426	(7 010) 308	(2 127) 153	50	36
(2,		(525)	(380)	(189)		
SUBTOTAL	153	34,400 (42,400)	20,750	7,880 (9.720)	38	23
LATER CTATE .		(42 400)	(25 595)	(9 /20)		
INTERSTATE: NORTH COAST	3	1,210	591	376	64	31
LAHONTAN (2)	5	(1 490) 1,080	(729) 717	(464) 36	5	3
COLORADO RIVER (3)	4	(1 330) 53,500 (66 000)	(884) 33,722 (41 596)	(44) 38,380 (47 341)	114	72
SUBTOTAL (3)	12	55,800 (68 800)	35,030 (43 210)	38,790 (47 848)	111	69
TOTAL (3)	165	90,200 (111 000)	55,780 (68 804)	46,670 (57 567)	84	52

INCLUGES LOS ANGELES, SANTA ANA, ANO SAN DIEGO BASINS.
 INCLUGES NORTH AND SOUTH LAHONTAN BASINS

⁽³⁾ INCLUDES DATA FOR LAKE MEAD AND LAKE POWELL WHICH REGULATE FLOW OF THE LOWER COLORADO RIVER, THE MAJOR SOURCE OF WATER FOR THE COLORADO RIVER BASIN AND SOUTH COAST AREA.

Tabulated below are 1976-77 water supply forecasts published in Bulletin 120, and the observed unimpaired runoff for 25 major forecast points. Error percentages compare May 1 forecasts to the observed. Forecasts are always subject to limitations in forecasting procedures, and in the uncertainty of future weather. Forecast errors due to these limitations usually range between 5-10 percent. Unprecedented drought conditions impaired conditions which resulted in forecasts lower than observed.

TABLE 5. COMPARISONS OF WATER SUPPLY FORECASTS WITH OBSERVED UNIMPAIRED RUNOFF

Flows in 1,000 Acre-feet (Cubic Hectometres)

				FORE	CASTS				OBSERVED		FORECAS	T ERROR RCENT
STREAM AND STATION	FEBRU			CH 1		IL 1		Y 1	_	OWS	MAYIF	ORECAST
	APR-JULY	WATER YR	APR-JULY	WATER_YR	APR-JULY	WATER YR	APR-JULY	WATER YR	APR-JULY	WATER YR		WATER YR
TRINITY AT LEWISTON	(389)	()	265 (327)	()	240 (296)	()	160 (197)	()	(139)	()	+ 42	
SACRAMENTO R INFLOW TO SHASTA LAKE	180	305	150	(302)	145	240 (296)	100	190	64 (79)	162	+ 56	+ 17
McCLOUO R INFLOW TO SHASTA LAKE	270	715 (882)	240 (296)	625 (771)	225	610 (752)	185	565 (697)	184	581	0	- 3
PIT R INFLOW TO SHASTA LAKE	625	2,055 (2 535)	510 (629)	1,945	465 (574)	1,900	395 (487)	1,815	650 (802)	2,011	- 39	- 10
TOTAL INFLOW TO SHASTA LAKE	1,100	3,150	900	2,650	845	2,550	685 (845)	2,370 (2 923)	798 (984)	2,628	- 14	- 10
SACRAMENTO R. ABOVE BEND BRIDGE	1,400	4,070	1,120	3,250 (4 009)	1,025	3,100	850 (1 048)	2,900 (3 577)	1,103	3,422	- 23	- 15
FEATHER R INFLOW TO OROVILLE RES.	830	1,700	600 (740)	1,210	510 (629)	1,100 (1 357)	335 (413)	915	397 (490)	1,013	- 16	- 10
YUBA R. AT SMARTVILLE	270	560	200 (247)	330 (407)	(234)	325 (401)	155	290 (358)	198	339 (418)	- 22	- 14
AMERICAN R INFLOW TO FOLSOM RES.	(382)	580 (715)	225 (278)	340 (419)	(259)	340 (419)	170 (210)	300 (370)	233 (287)	357 (440)	- 27	- 16
COSUMNES R. AT MICHIGAN BAR	35 (41)	70 (86)	(15)	(26)	(12)	19 (23)	5 (6)	14 (17)	13 (16)	(32)	- 62	- 46
MOKELUMNE R INFLOW TO PAROEE RES.	(185)	(247)	100	125 (154)	90 (111)	115	65 (80)	90 (111)	106	134 (165)	- 39	- 33
STANISLAUS R INFLOW TO MELONES RES.	(339)	360	(247)	(302)	(222)	(277)	(148)	165	120 (148)	162 (200)	0	+ 2
TUOLUMNE R INFLOW TO CON PEORO RES.	(580)	625 (771)	(407)	400 (493)	(339)	340	(253)	(333)	(339)	339 (418)	- 25	- 20
MERCEO R INFLOW TO EXCHEQUER RES.	(278)	(352)	165 (204)	(234)	(166)	(197)	90	(142)	128 (158)	152 (187)	- 30	- 24
SAN JOAQUIN R INFLOW TO MILLERTON LAKE	(580)	(777)	270 (333)	375 (463)	(284)	330 (407)	(228)	(245)	(323)	362	- 29	- 23
KINGS R INFLOW TO PINE FLAT RES.	465 (573)	(777)	(284)	(426)	(247)	(382)	(241)	(376)	(338) 62	(476)	- 29	- 21
KAWEAH R INFLOW TO TERMINUS RES.	(142)	(222)	(74)	(113)	(62)	(101)	(49)	(87)	(76)	95 (117)	- 35	- 25
TULE R INFLOW TO SUCCESS RES.	(17)	(37)	(6)	(21)	(5)	15 [°] (19)	(4)	(17)	(6)	(20) 186	- 40	- 13
KERN R INFLOW TO ISABELLA RES.	125 (154)	(290)	95	190 (234)	(99)	170 (209)	(80)	(191)	(112)	(229)	- 29	- 17
TRUCKEE R, TAHOE TO FARAO	(111)	()	75 (93)	()	(80)	()	(62)	()	(72)	()	- 14	
LAKE TAHOE RISE	0.40' (.12m)	()	0.37' (.11m)	()	0.25' (.08m)	()	0.15' (.05m)	()	0.31' (.09m)	()	- 52	
EAST CARSON R. NEAR GARDNERVILLE	65 (80)	()	(68)	()	(56)	()	40	()	43	()	- 8	
WEST CARSON AT WOODFORDS	(25)	()	13	()	(15)	()	(12)	()	(53) 12 (15)	()	- 17	
EAST WALKER R. NEAR BRIDGEPORT	12 (15)	()	(10)	()	(15) 7 (9)	()	(6)	()	(10)	()	- 38	
WEST WALKER R. NEAR COLEVILLE	55 (68)	()	(12) 45 (56)	()	35 (43)	()	30 (37)	()	35 (43)	()	- 14	

FORECAST ERRORS IN PERCENT = (FORECAST-OBSERVED)


OBSERVED X 100

MAY I APRIL - JULY FORECASTS AVERAGE ABSOLUTE ERROR = 28% (25 FORECASTS)

MAY! WATER YEAR FORECASTS AVERAGE ABSOLUTE ERROR = 18 % (18 FORECASTS)

Note 1000 Acre-Feet = 1.2335 Cubic Hectometres

FIGURE 13. WATER TRANSFERS AND OUTFLOW, 1976-77



WATER TRANSFERS AND OUTFLOW

The 1976-77 water year was the driest of record for many areas of California. Reservoir storage was depleted by the previous dry year and, although water demands were high, exports were generally much less because of shortages in supply. One notable exception was water impacted through the Colorado River Aqueduct to the South Coastal area which increased nearly 370 hm (300,000 acre-feet) to offset loss of State Water Project (SWP) supplies not impacted from Northern California. This switch was part of the exchange program whereby Metropolitan Water District of Southern California (MWD) made 495 hm (400,000 acre-feet) of its 1977 SWP allocation available to other users in the North who were suffering from the drought.

Another major export which showed substantial increases over 1976 water year amounts was the Central Valley Project (CVP) Trinity River diversion, which increased about 345 hm³ (280,000 acre-feet). Much of this transfer was water taken out of Clair Engle Reservoir storage to meet Central Valley demands.

Estimated CVP exports from the Delta were 1 789 hm³ (1,450,000 acre-feet), only about half of what they were in 1975-76. Many CVP irrigation users were allocated only 25 percent of normal supplies.

Total SWP Delta₃ exports were about 936 hm³ (759,000 acre-feet), nearly 1 480 hm³ (1,200,000 acre-feet) less than the previous year. In addition, some 337 hm³ (273,000 acre-feet) were taken out of SWP San Luis Reservoir storage. SWP transfers to Southern California were 239 hm³ (194,000 acre-feet), only about one-fourth that of the 1975-76 water year. Most of the amount pumped over the Tehachapi Mountains was pumped during the first five months of the water year, from October through February.

Surprisingly, Colorado River diversions to the Colorado Desert Hydrologic Basin were also down slightly, from about 4 940 to 4 749 hm (4,005,000 to 3,850,000 acre-feet). The reduction is attributed to the effects of unusual rainstorms in the desert and in part to the Imperial Irrigation District's program of water conservation.

RUNOFF—The normally dry Los Angeles River at its confluence with the Arroyo Seco was flowing at a rate of 8,000 cubic feet a second.

CHAPTER III - FLOOD EVENTS

In the second year of the drought in California, the lack of flood conditions during the normal flood season was even greater than during the first drought year. Whereas the year 1975-76 broke the uninterrupted record of 63 years of winter overflow at Tisdale Weir on the Sacramento River, the year 1976-77 extended the period on non-overflow. The peak stage in 1976-77 during the entire flood season was 3.5 metres (11.5 feet) below the weir crest. This was 3.0 metres (10 feet) lower than the previous year. Hydrographs of selected (representative) streams might easily have been mistaken for summer flows rather than the "flood season" flows they really were. Peak flows and stages for the year presented in Appendix B further illustrate the infrequency of even momentary winter rises in California's streams.




FIGURE 14. HYDROGRAPH OF TISDALE WEIR

An unseasonable storm in early May 1977 along the South Coastal Area included tornado force winds, and produced rainfall amounts varying from about 38 millimetres (0.15 inch) in the San Francisco Bay Area to nearly 51 millimetres (2 inches) at Los Angeles Civic Center, and 76 millimetres (3 inches) at Mt. Wilson. Damage included uprooted trees and damaged roofs and windows. The single storm reportedly produced the wettest May in 56 years in Los Angeles. The month of June produced some summer thunderstorms in the Southern California desert areas with no significant damage.

IMPERIAL VALLEY AWASH AFTER DOREEN COMES OVER





INDOOR POOL AND JACUZZI AFTER SECOND NIGHT



THE AFTERMATH OF DOREEN
SEPT. I, 1977
IMPERIAL COUNTY

In the 1975-76 issue of this report, the text stated ". . . and then came September and Kathleen". As if for the sake of continuity, 1976-77 brought "August and Doreen".


The first effects of Tropical Storm Doreen were felt in Southern California's Imperial Valley early Monday afternoon, August 15, 1977. By 5:00 p.m., Calexico, near the Mexican Border, had recorded 68 millimetres (2.66 inches) of rain; by 9:00 a.m., Tuesday, Brawley -- about 40 kilometres (25 miles) to the north -- had recorded 95 millimetres (3.73 inches). The storm swept north and east through the rich Imperial and Coachella Valleys and across the desert areas, leaving in its wake vast acres of inundated farmland, flooded homes, washed-out roadways and railways, and three fatalities.

Major washout on I-8



DEBRIS OBLITERATES I-8 NEAR OLD MEYER BRIDGE
IMPERIAL COUNTY

FOR AUGUST 1977 DOREEN STORM DAMAGE



September 1, 1977

Heavy Rains End, Damage To Area Placed In Millions

IMPERIAL COUNTY



IMPERIAL COUNTY sustained the greatest damage from Doreen and was declared a Disaster Area on August 23 by Governor Brown.

Initial damage estimates were set at \$20 million, but were later reassessed at \$28 million to \$29 million. These estimates included \$15 million damage to crops, \$2.2 million damage to county roads, and \$4.5 million damage to private homes. Among the communities hardest hit by flooding were Calexico, Imperial, Brawley, El Centro, Calipatria, Holtville, and Westmoreland. An estimated 300 homes sustained flood damage.

One of the more fortunate communities in the county was Ocotillo which was nearly devastated by the previous year's Kathleen, but escaped Doreen almost unscathed. The apparent reason for this fortunate circumstance was that Doreen produced its major rainfall over the valley area, whereas Kathleen had dumped its major rainfall over the mountains which then produced flash floods which raced down the creekbeds and desert washes.

STORM-TOTAL RAINFALL COMPARISONS

	Precipitation in millimetres Doreen	in inches
El Centro	91.95	3.62
Brawley	122.94	4.84
Calipatria	98.23	3.08
Imperial	91.69	3.61
Holtville	56.13	2.21
	Kathlee	n (1976)
El Centro	40.64	1.65
Brawley	60.20	2.37
Calipatria	29.21	1.15
Imperial	59.69	2.35
Holtville	62.74	2.47

Although the runoff produced by Doreen was not spectacular the valley-type rainfall reportedly inundated even more valley farmland and caused more residential flooding than did Kathleen.

Washouts and flooding closed interstate 8 (El Centro to San Diego), State Route 86 (Brawley to Indio), threatened State Route 111 (along the east side of the Salton Sea), and closed 25 major county roads. The Southern Pacific's main east-west line was closed by a washout near Niland.

SAN DIEGO COUNTY sustained its major damage in Borrego Valley, located in the northeast portion of the County. An estimated \$1.7 million worth of damage was caused in the Borrego Springs area, where mud and water damaged about 60 homes (of the \$100,000-to \$200,000 class), landscaping, the golf course, and roads in the DeAnza Desert Country Club. The Henderson Canyon check-dam system, designed to protect the country club area, was no match for the torrential rains, and six of the seven basin dikes were washed out. On August 23, the County Board of Supervisors declared the existence of a local emergency.

RIVERSIDE COUNTY also experienced considerable local flooding in the Coachella Valley area during the passage of Doreen. Business and residential flooding were most prevalent in the communities of Indio, Palm Desert, Thousand Palms, and Desert Hot Springs. About 22,000 sand bags were reportedly distributed from Palm Springs to Indio at local fire stations. Agricultural damage was not extensive, but reportedly some vegetable crops required replanting. No emergency was declared in the county.


SAN BERNARDINO COUNTY experienced a variety of events (brought about by Doreen) ranging from near-drownings to home-floodings, to a rash of auto accidents, and to a line-up of an estimated 5,000 vehicles on I-15 between Barstow and Baker when an avalanche of rock and mud washed out a one-mile stretch of the primary route from Los Angeles to Las Vegas.

Although only Imperial County obtained a Governor's Declaration of Emergency, and no Presidential declarations were made, the federal Small Business Administration declared San Diego and Imperial Counties—and "adjacent counties"—eligible for low-interest SBA loans.

The water year was capped off by a late September storm over Northern California that produced considerable local flooding in Redding in the Upper Sacramento Valley. Shasta Dam reported 82 millimetres (3.24 inches) of rain, while Happy Camp in the Trinity River drainage reported over 102 millimetres (4 inches). The lake level behind Shasta Dam rose 33 millimetres (1.29 inches) during the storm. Although, this was only a minuscule rise after 2 years of drought every drop was appreciated.



WATER LINE SHOWS AT COUNTRY CLUB EL CENTRO AUGUST 17, 1977



ROAD DAMAGE IN IMPERIAL COUNTY

FIGURE 16. NORTHERN CALIFORNIA REFERENCE MAP FOR HYDROGRAPHS, FIGURES 17-22




FIGURE 17. HYDROGRAPHS OF SHASTA LAKE AND SACRAMENTO RIVER




FIGURE 18. HYDROGRAPH OF LAKE OROVILLE




FIGURE 19. HYDROGRAPHS OF FOLSOM LAKE, AND SACRAMENTO RIVER





FIGURE 20. HYDROGRAPHS OF SMITH RIVER, TRINITY AND KLAMATH RIVERS







FIGURE 21. HYDROGRAPHS OF EEL AND RUSSIAN RIVERS








FIGURE 22. FLOOD CONTROL OPERATION OF PRADO DAM AND RESERVOIR









APPENDIX A

Sacramento River Crest and Weir Overflow Records



A-2, PERIOD OF RECORD OF OVERFLOW OF THE MOULTON WEIR



NOTE:

Doto campiled from records of D.W.R. stream goging station "Socramento River at Moulton Weir"

Dotum: 0=0'U.S.E.D. Period of record: 1935 to present

Creet elevation = 76.75 teet (23 41 metres)


Metric Equivalent: 1 FOOT = 0.305 METRES LEGEND

Designates periods of flow over weir

* 83 8 feet
(25.6 metres)

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES

A-3, PERIOD OF RECORD OF OVERFLOW OF THE COLUSA WEIR



NOTE:

Doto campiled from records of D.W.R. stream gaging stotian Sacromento River at Colusa Weir

Dotum: 0 = 0' U S E.D.

Period of record: 1935 to present

Crest elevation 61 80 feet (18 85 metres)

Metric Equivalent:

1 FOOT = 0.305 METRES

LEGEND


Designates periods of flow over weir * 70 6 feet

(21.5 metres)

STATE OF CALIFORNIA THE RESOURCES AGENCY

DEPARTMENT OF WATER RESOURCES

A-4, PERIOD OF RECORD OF OVERFLOW OF THE TISDALE WEIR



NOTE:

Dota compiled from records of D.W.R. stream gaging station. Socramento River at Tisdale Weir

Datum 0=0' U S E.D.

Period of record, 1935 to present

Crest elevation = 45.45 feet (13 86 metres)

Metric Equivolent:

1 FOOT = 0.305 METRES


LEGEND

Designates periods of flow over weir

*53 3 feet
(16.3 metres)

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES

A-5, PERIOD OF RECORD OF OVERFLOW OF THE FREMONT WEIR



NOTE:

Dato campiled from records of D.W.R stream gaging station "Sacramenta River at Freemant Weir, West End"

Datum: 0 = 0' U S.E D.

Period of record: 1934 to present


Crest elevation = 33.50 feet (10 22 metres)

Metric Equivalent: 1 FOOT = 0.305 METRES LEGEND
Designates periods of flow over weir
* 39.7 feet

" 39.7 feet (12 1 metres)

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES

A-6, PERIOD OF RECORD OF OVERFLOW OF THE SACRAMENTO WEIR



NOTE:

Data compiled fram records of D.W.R. stream gaging station "Sacramento Weir Spill to Yolo Bypass, near Sacramento

Datum: 0=0 U.S.E.D Period of record: 1926 to

Period of record: 1926 to present

Crest elevation = 2475 feet (7.55 metres)
Elevation of top of gates = 310 feet (9.46 metres)

Metric Equivalent:

I FOOT = 0.305 METRES

LEGEND


5

Designates periods of flow aver weir and total number of gates opened.

STATE OF CALIFORNIA
THE RESOURCES AGENCY

DEPARTMENT OF WATER RESOURCES

A-7, PERIOD OF RECORD OF INUNDATION OF THE YOLO BYPASS



Dota compiled from records of DWR stream gaging station "Yolo Bypass near Lisbon."

Datum: 0=U.S.E.D. Datum

Period of Record: 1914 to Present Assumed overflow of Bypass at stage above 11.5 (3.51 metres) an the Lisbon gage.

Metric Equivalent: 1'FOOT = 0.305 METRES Designates period of inundation of Bypass

STATE OF CALIFORNIA
THE RESOURCES AGENCY
DEPARTMENT OF WATER RESOURCES

APPENDIX B

Peak Flows and Stages at Selected Streams and Stations in California

INTRODUCTION

Appendix B presents data for selected stations on representative streams of the major hydrogrologic basins of California (Figure 2). Historic data are obtained from USGS Surface Water Records, Department of Water Resources' Bulletin 130, and U. S. Department of Commerce, NOAA, National Weather Service, Daily River Stage publications. Current water year data, obtained from USGS and DWR, are preliminary and are subject to revision.

Stations are listed in a downstream direction along the main stream and tributaries. Stations on tributaries are listed between main stream stations in the order in which the tributaries enter the main stream.

LEGEND FOLLOWS TABLES

PEAK FLOW AND STAGES (ENGLISH UNITS)

			SDURCE		PVIDUS MAXIM		,	1976-1977 WATER YEAR	
	SO MILES	. h£CUHU	. RECORD	PATE	. STAGE . IN FEFT .	DISCHARGE	. DATE .		DISCHARGE IN CFS
			NUBL	H COASTAL	AREA				
SWITH B	TVER RASI	ħi							
SMITH HIVER TEAR CHESCENT CITY	609	1931-	uses	12-22-64	48.5	228,000	9=28=77	17.77	15800
KI AMATH	HIVEP A	SIN							
SHASIA RIVER NEAH YHERA	793	1933-41	USGS	12-22-64	12.9 13.9(A)	21,500	11-15-76	3,60	250
SEDIT RIVER	653	1941-	usas	12-22-64	25.3(AC)	54,600	6-10-77	6.05	300
NEAMAIM PIVEM NEAM SEIAD VALLEY	6980	1912-25 1951-	USGS	12-23-64	33,A(A)	165,000	11-15-76	5.71	3650
SALMIN PIVEP AT SUMESHAR	751	1911=15 1927=	บรคร	12-22-64	46.6(4)	133,000	9-29-77	5,23	1800
MINMATH SIVEH AT OMERANS	8475	1927=	บริธร	12-22-64	76.5(AC)	307,000	9-29-77	5.12	7800
TRINITY WIVER AFRVE COFFE		1957-	USGS	12-22-64	12.3 13.4(A)	20,800	9=28=77	3.07	550
TRINITY RIVER AT FEMISION	72P	1911-	usss	12-22-55	27.3(AC)	71,600	11=15=76	3.47	250
NORTH FORK THINITY RIVER AT HELENA	151	1911=13 1957=	USGS-DWR	12-22-64	27.9(4)	35,800	9-28-77	8.19	750
TRINITY HIVER MEAN RIGHT PANCH	1439	1931-40 1956-	USGS	12-22-55	43.2(A)	172,000	9-28-77	5.44	1700
TRINITY PIVER	2845	1911-14 1916-18 1931-	USGS	12-22-64	40.3(AC)	231,000	3 -9-77	15.59	2700
KLAMATH RIVER NEAR KLAMATH	12100	1910=26 1950=	uses	12-23-64	55.3(A)	557,000	9-29-77	10.50	15200
HEDMUDD	CREFK BA	SIN							
TITTLE AT URICK BEDMININ CREEK	27A RIVER BAS	1911-13 1953-	usgs	12-22-64	24.0(4)	50,500	3 -9-77	9.12	3300
LITTLE RIVER	n f v t n - (inc	, [
NEAR THIP 1 (14)	44	1955=	USGS	1=22=72 1=17=53	14.08 15.7(A)	9,720	3 =9=77	3.77	700
MAD RIV	ER BASIN								
MAD HIVER NEAP FOPEST GLEN	143	1953-	USGS	12-22-55	24.5(A)	39,200	5 -3-77	3,37	150
MAD RIVER NEAR ARCATA	485	1910-13 1950-	USGS	12-22-55	29,8	77,800	3 =9=77	7.92	3350
FEL RIV	FR BASIN								
EFL MIVER PELING SCOTT DAM NEAR POITTER VALLEY	290	1922-	USGS	12-22-64	24.2(4)	56,300	11-24-76	4.67	300
EEL PIVER AT VAN ARSDALE DAM NEAR POITER VALLEY	349	1919-	USGS	12-22-64	33,9(A)	64,100	10 =7=76	8.43	400
NEAP LIMEVALE	161	1956=	HSGS	12-22-64	30.6(A)	77,900	3 -9-77	4.69	1050
NEAR WIND	248	1953-	USGS	12-22-64	33,6(A)	133,000	STATION	OISCONTINUE)

PEAK FLOW AND STAGES (METRIC UNITS)

I .	ORAINAGE	PERIOD	. SOURCE	•	VIDUS MAXIMI OF RECORD)M	, ,	1976-1977	T 1
ON THE CHARACTER STATE S	50 KM	RECORO	. RECORD .	DATE .	STAGE .	OISCHARGE .	DATE . S	STAGE .	DISCHARGE T IN M /S T
		~~~~~		H COASTAL A	REA				
SM1TH R	IVER RASI	N							
SMITH RIVER NEAR CRESCENT CITY	1577	1931-	USGS	12-22-64	14.8	6,460	9-28-77	5.42	047
KLAMATH	RIVER AA	91N							
SHASTA RIVER NEAR YREKA		1933-41	USGS	12-22-64	3.0 4.2(A)	60A 	11-15-76	1.10	6.A
SCOTT RIVER NEAR FORT JUNES	1691	1941=	USGS	12-22-64	7.7(AC)	1,550	6-10-77	1.84	A.2
KLAMATH KIVER NEAR SETAO VALLEY	18078	1912-25 1951-	U <b>S</b> GS	12-23-64	10.3(A)	4,670	11-15-76	1.74	102
SALMON RIVER AT SUMESBAR		1911-15	USGS	12-22-64	14.2(A)	3,770	9-29-77	1.59	51
KLAMATH RIVER AT ORLEANS	21950	1927-	USGS	12-22-64	23.3(AC)	8,690	9-29-77	1.56	550
TRINITY RIVER ABOVE COFFE CREEK, NEAR TRINITY CENTE		1957-	USGS	12-22-64	3.7 4.1(A)	58A	9-28-77	0.94	15
TRINITY RIVER AT LEWISION	1885	1911-	USGS	12-22-55	A.3(AC)	2,030	11-15-76	1.06	7.6
NORTH FORK TRINITY RIVER AT HELENA		1911-13	USGS-DWR	12-22-64	A.5(A)	1,010	9-28-77	2.50	21
TRINITY RIVER NEAR BURNT RANCH		1931-40 1956-	USGS	12-22-55	13.2(A)	4.870	9-28-77	1,66	a A
TRINITY RIVER AT HUDPA		1911-14 1916-18 1931-	USGS	12-22-64	12.3(AC)	6,540	3 -9-77	4.75	76
KLAMATH RIVER NEAR KLAMATH		1910-26	U <b>S</b> GS	12-23-64	16,9(A)	15,800	9-29-77	3.20	430
REOWOOL	CREEK B	4 5 1 N							
REOWOOD CREEK		1911=13 1953=	USGS	12-22-64	7.3(A)	1,430	3 -9-77	2.78	93
LITTLE	RIVER BA	31N							
LITTLE RIVER NEAR TRINIDAD	113	1955-	uses	1-22-72	9.38 9.8(A)	275	3 -9-77	1.15	19
MAD RIV	ER BASIN								
MAD RIVER NEAR FOREST GLEN	370	1953-	USGS	12=22=55	7.5(A)	1,110	5 =3=77	1.03	3,5
MAD RIVER NEAR ARCATA	1256	1910-13	USGS	12-22-55	9.1	5,200	3 -9-77	2.41	95
	ER BASIN								
NEAR POTTER VALLEY		1922-	USGS	12-22-64	7.4(A)	1,590	11-24-76	1.42	A.7
EEL RIVER AT VAN ARSOALE OAM NEAR POTTER VALLEY	903	1909-	USGS	12-22-64	10,3(A)	1,820	10 -7-76	2.57	11
QUILEI_CREEK NEAR LONGVALE	416	1956-	USGS	15-55-60	9,3(A)	2,210	3 -9-77	1.43	29
NORTH FORK EEL HIVER NEAR MINA	645	1953-	USGS	12-22-64	10.2(4)	3,770	STATION C	13CONTINU	ED

I I	ORAINAGE		SOURCE		VICUS MAXIM OF RECORD	MUM		1976-197 WATER Y	AR
J STREAM AND STATION J	. AREA IN . SO MILES	. OF RECORO	PFCORO	. DATE .	STAGE . IN FEFT .	DISCHARGE	. DATE .	STAGE IN FFFY	DISCHARGE IN CES
			NORT	H COASTAL A	REA (CONTIN	HFD)			
	RIVER BASIN								
EEL RIVEP AT FORT SEWARD	2107	1955-	USGS	12-22-64	M7.2(AC)	561,000	7-72-17	11.25	2850
SOUTH FORK EEL RIVER NEAR MIPANDA	537	1939-	USGS	12-22-64	46.0(4)	199,000	3-10-77	7.26	2250
HULL CREEK NEAR WEGTT	28	1960-	USGS	12-22-64	20,6(40)	6,520	9-19-77	4,35	150
EEL RIVER AT SCOTIA	3113	1910-	usgs	12-23-64	72.0(A)	752,000	3-10-77	12.71	SANO
VAN DUZEN RIVER NEAK BRIOGEVILLE	555	1950-	USGS	12-22-64	24.0(A)	48,700	3 -9-77	7.11	2150
MATT	OLE RIVER BA	SIN							
MATTOLE RIVER NEAR PETROLIA	240	1911-13 1915-	USGS	12-22-55	(1)%,P5	90,400	3 -9-77	7.23	3300
NOAD KINEK NOAD	RIVER BASIN	•							
NEAR FORT BRAGG	106 RRO RIVER BA	1951-	USGS	12-22-64	26,3	24,000	3-15-77	4.46	150
NAVARRO RIVER	*******	.314							
NEAR NAVARRO	303	1950-	USGS	12-22-55	40.6[C]	64.500	3-16-77	3.84	650
	IAN RIVER RA								
RUSSIAN RIVER NEAR UKIAH	100	1911-13	USGS	12-21-55	21.0	18,900	3-15-77	A.18	250
NEAR CALPELLA	92	1941-	USG <b>S</b>	12-22-64	50.5	18,700	11-23-76	6.69	300
RUSSIAN RIVER NEAR HOPLAND	362	1939-	USGS	12-22-55	27.0 30.0(A)	45,000	3-16-77	5,31	250
RUSSIAN RIVER NEAR CLOVERDALE	503	1951-	USGS	12-22-64	31,6(0)	55,200	3-16-77	3.42	350
RUSSIAN RIVER NEAR HEALDSBURG	793	1939-	USGS	12-23-64 1237	27.0 30.8(A)	71,300	3-16-77	1.87	450
DRY CREEK NEAR CLOVERDALE	8.8	1941-	USGS	12-22-64	18.1	18,100	1 -2-77	3,77	350
DRY CREEN NEAR GEYSERVILLE	162	1959-	USGS	1-31-63	17.5	32,400	1 -2-77	4.69	800
RUBSIAN RIVER NEAR GUERNEVILLE (HACIENDA	BR.) 1340	1939-	USGS	12-23-64	49.6(A) 49.7(A)	93,400	3-16-77	7.50	1350
			SAN	FRANCISCO E	BAY AREA				
WALK	ER CREEK BAS	BIN							
WALKER CREEK NEAR TOMALES	37	1959-	USGS	1-16-73	22.9	6,600	1 -3-77	4.84	50
CORT	E HADERA CRE	EK RASIN							
CORTE MADERA CREEK AT ROSS	18	1951-	USGS	12-22-55	17,5	3,620	1 -2-77	7,36	150
NOVA	TO CREEK BAS	3 J N							
NOVATO CREEK NEAR NOVATO	18	1946-	USGS	1-14-70	11.0	2.000	11-14-76	4.28	150

## PEAK FLOWS AND STAGES (CONTINUED) METRIC UNITS

1	DRAINAGE	PERIOD	SOURCE OF	. PHE	VIDUS MAXIM OF RECORD	IJм •	1976-1977 WATER YFAR			
1 STREEM AND STATION	SIJ KM	. RECORO	. RECORD	. OATE	STAGE . IN METRES .	DISCHARGE . IN M /S .	DATE .	STAGE .	DISCHAPGE I	
				TH COASTAL A						
	RIVER BASIN									
AT FURT SEPARIT	5457	1955-	USGS	12-22-64	26.6(AC)	15,900	2-22-77	3,43	80	
SOUTH FORK EEL HIVER MEAR MIRANDA	1 390	1939-	USGS	15-55-64	14.0(A)	5,640	3-10-77	2.21	63	
RULL CHEFF NEAR WEUTT	72	1960-	USGS	12-22-64	6.3(AC)	184	9-19-77	1.33	4.9	
EEL RIVER AT SCOTTA	8062	1910-	USGS	12-23-64	21.9(A)	21,300	3-10-77	3.87	163	
VAN DUZEN HIVEH	574	1950-	USGS	12-22-64	7.3(A)	1,380	3 -9-77	2.17	60	
мат	TOLE PIVER RA	SIN								
MATIBLE HIVEH NEAR PEINBLIA	625		uses	12-22-55	9.0(C1	2,560	3 -9-77	2.20	98	
NOY	O RIVER HASTN	1								
NEAR FORT REACE		1951-	USGS	12-22-64	8.0	679	3-15-77	1.37	4.3	
	ARRU RIVER 84	SIN								
NEAR WAVARRO	784 SIAN RIVER 84	1950-	USGS	12-22-55	12.4(0)	1,830	3-16-77	1.17	17	
RUSSIAN RIVER										
NEAH UKTAH  EAST FORK RUSSIAN RIV	259	1911-13	USGS	12-21-55	6.4	535	3-15-77	2.49	7.7	
NEAR CALPELLA		1941-	USGS	12-22-64	6.2	529	11-23-76	2.04	8.9	
NEAR HUPLAND	937	1939-	USGS	12-22-55 1237	8.2 9.1(A)	1,270	3-16-77	1.62	6.4	
NEAR CLUVERDALE	1302	1951-	USGS	12=22=64	9.6(0)	1,560	3=16=77	1.04	10	
RUSSIAN HIVER NEAR HEALDSRUPG	2053	1939-	USGS	12=23=64 12= =37	8.2 9.4(A)	2,020	3=16=77	0.57	12	
DRY CHEEK NEAR CLUVERDALF	755	1941-	U <b>\$6</b> 8	12=22=64	5.5	512	1 -2-77	1.15	9.3	
ORY CHEFK NEAH GEYSERVILLE	419	1959=	USGS	1=31=63	5.3	917	1 -2-77	1.43	23	
RUSSIAN KIVEH NEAR GUERNEVILLE (HACTEND	DA RR.) 3471	1939=	USGS	12-23-64 12-23-55	15.1(A) 15.1(A)	2,640	3-16-77	5*59	36	
			SAN	FRANCISCO I	RAY AREA					
MAL	KER CREEK BAS	SIN								
WALKER CHEEK NEAH TOMALES	95	1959=	USGS	1-16-73	7.0	186	1 -3-77	1.48	0.5	
COR	PTE MADERA CRI	EEK BASIN								
CORTE MADERA CHEEK AT HUSS	46	1951=	USGS	12+22+55	5.3	102	1 -2-77	2.24	4.1	
NOV	ATO CREEK BA	SIN								
NOVATO CREFK	46	1946=	USGS	1-14-70	3.4	56	11-14-76	1.30	4.7	

I I I SIMPAZ AMD STATION	DRAINAGE AREA IN	PERTUD	. SOURCE		VIOUS MAXIN OF RECORD	ZIJM	•	1976+19 WATER Y	
I States bet Stution	SQ MILES	. HECORO	RECORD	DATE	STAGE . 1N FEET .	IN CFS	. DATE .	IN FEET	
			SAN	FRANCISCO H	AY AREA (CE	ONTINUED)			
SHAD	IND CHEEK RA	S T N							
SUMUMA CHEEK	5 A	1955=	uses	12=22=55	17.1(0)	8,880	3=15=77	4.88	100
NAPA	PIVER RASI	ħj							
VAPA KIVER NEAR ST. HELENA	A1	1929-32	uses	12-22-55	16.2	12,600	3-16-77	3.74	150
NAPA HIVEK MEAR NAPA	218	1929=32 1959=	USGS	1=31=63	27.6	16,900	3=16=77	3,17	50
PACH	HECO CREEK H	ASIA							
SAN HAMON CPEEK AT SAN PAMUN	6	1952-	USGS	10-13-62	17.0	1,600	1 =2=77	2,32	20
SAN	FURENZU CHE	EK RASIM							
SAP LIIMENZO CREEK AI HAYWAHO	3.8	1939-40	usas	10-13-62 12-22-55	19,7(A) 20,8(A)	7,460	3=15=77	5.36	20
A1 A	THIS CREEK H	ASTN		76-66-33	204(2)				
ARPOYO MOCHO									
NEAR PLEASANTING	141	1962-	USGS	2- 1-63 1-18-73	8,60(C) 12,4	1,760	1 -2-77	9.03	100
APPOYO VALLE NEAR LIVERMORE	147	1912-30 1957-	USGS	12-23-55	13,9(A)	18,200	9 -4-77	2,69	30
APPOYD VALLE AT PLEASANION	171	1957-	USGS	4= 3+58	25.4	11,300	1 -2-77	7,45	7
NEAM NILES	633	1891-	USGS	12-23-55	14.9	29,000	1 -3-77	4.30	450
PATTERSON CHEEK		1958+	uses	2+ 1+63	20,4(A)	10,500	1 -3-77	8.18	1300
COYO	TE CREEK RA	S1N							
COYOTE CREEK NEAR MADRONE	196	1902-12 1916-	USGS	3- 7-11		25,000	10 -1-76	2,33	50
IPPER PENTIENCIA CHFEK AT SAN JUSE	22	1961-	USGS	1-21-67	6.2	15,000	1 -2-77	3,10	7
GHAO	ALUPE PIVER	RASIN							
GUADALUPE RIVEH AT SAN JUSE	144	1929=	uses	4+ 2+58	16.6	9,150	1 -2-77	3.41	750
SAPATOGA CREEK AT SAHATOGA	9	1933+	USGS	12-22-55	6,4(C)	2,730	3-15-77	3,29	50
MATA	DERO CREEK	BASIN							
ATAUERO CRFEK AT PALO ALTO	7	1952+		2-27-73	5.5	1,100	1 -2-77	1.68	100
	FRANCISCHIT EK BASIN	n							
SAN FRANCISOUITO CREEK AT STANFORD UNIVERSIT		1930-41 1950-	USGS	12-22-55	13,6	5,560	3=15=77	1.66	AO

#### PEAK FERNAS AND STAGES (CONTINUED) METRIC UNITS

	DHAINAGE			1976-1977 1 WATER YEAR
1			. DATE . STAGE . DISCHARGE .	·

SAN FRANCISCO BAY AREA (CONTINUED) STATIMA CHEEK HASTA SHARMA CHEFF A) AGHA CALIEDIF 150 1955-USGS 12-22-55 5.2(0) 251 3-15-77 2.9 1.49 NAPA RIVER HASTI NAPA MIVER 1929-32 209 1939-USGS 12-22-55 NEAR ST. HELETA 4.9 356 3-16-77 1.14 3.7 1929-32 HAPA HIVEH NEAH PAHA USGS 1-31-63 A . 4 478 3-16-77 0.97 1.5 PACHECO CHEEK PASTN SAN MAMON CHEEK 0.5 15 1952-USGS 10-13-62 5.2 45 1 -2-77 0.71 SAN LURENZO CREEK HASIN 1939-40 SAN LUREF ZU CHEEK 10-13-62 1946-USGS 6.0(A) 211 3-15-77 1.63 0.7 AT MAYMAND 6.3(A) ALAMEDA CHEEK RASIN APROYD MOLHO 2.6(C) 3.8 MEAN PLEASANTIN 145 1962-USGS 2- 1-63 49 1 -2-77 2,75 3.4 48 APPLYII VALLE 1912-30 DEAR LIVERPURE 1957-USGS 12-23-55 4.2(4) 515 9 -4-77 0.82 0.8 ARRIVO VALLE AT PLEASANTON 1957-USGS 4- 3-58 319 1 -2-77 2,27 0.2 1.7 442 ALAMEDA CHEFK NEAH MILES 12-23-55 158 1 -3-77 1.31 12 1891-USGS 4.5 1639 PATTERSON CHEEK 37 2.49 AT TINTON CTTY - - 1958-USGS 2- 1-63 6.2(A) 297 1 -3-77 COYDIE CREEK RASIN COYDIE CHEEK 1902-12 1916-USGS 3- 7-11 707 10 -1-76 0.71 1.4 UPPER PENTTENCIA CREEK 1 -2-77 0.94 0.2 424 56 1961-USGS 1-21-67 1.9 AT SAN JUSE GUADALIIPE RIVER RASIN GUADALUPE RIVER AT SAN JUSE 372 1929-USGS 4- 2-58 5.1 259 1 -2-77 1.04 50 SARATUGA CHEEK AT SAPATUGA 2.0(0) 77 3-15-77 1.00 1.4 23 1933-USGS 12-22-55 MATADERO CREEK HASIN MATAUERO CREEK 0.51 3.2 31 1 -2-77 AT PALIT ALTO 18 1952-USGS 2-21-73 1.7

12-22-55

4.1

157

3-15-77

0.51

2.3

SAN FRANCISQUITO CREEK BASIN

SAN FRANCISGUITO CREEK AT STANFORD UNIVERSITY

1930-41

1950-

USGS

STREAM AND STATE	. ORAINAGE	PERIOO	SOURCE	•	VIOUS MAXIM OF RECORD		. 1976-1977 . WATER YEAR		
SIMEAM AND STAIL	. 90 MILES	RECORD	. RECDRD	. DATE .	STAGE . IN FEET .	DISCHARGE IN CES	. PATE .	TH FFFT	
			_	TRAL COASTAL					
	REDWOOD CREEK 8	BASIN							
EDWOOD CREEK AT REDWOOD CITY	5	1959-	USGS	1=31=63	9. ц	644	1 -2-77	2.60	40
	PESCADERO CREE	RASIN							
ESCADERO CREEK NEAR PESCADERO	46 SAN LORENZO RIV	1951+	USGS	12-23-55	21,3	9,420	3-16-77	2.43	70
AN LURENZO RIVER AT BIG TREES	111	1936-	USGS	12=23=55	4.55	30,400	3=15=77	4.36	250
	SUGUEL CREEK RA	SIN							
OQUEL CREEK AT SOQUEL	40	1951-	USGS	12-23-55	55.3	15,800	12=30=76	3.46	100
	PAJARO RIVER 84	731N							
ODFISH CREEK NEAR GILROY	7	1959-	USGS	1=31=63	8.3	1,240	3=15=77	2.61	3
RES PINOS CREEK NEAR TRES PINOS	506	1939-	USGS	4- 4-41	7 . R	B,060	10 -1-76	4.94	90
AN BENITO RIVER NEAR HOLLISTER	586	1949-	USGS	4+ 3-5A	16.3	11,600	10 -2-76	4.90	50
AJARO RIVER AT CHITTENDEN	1186	1939~	usgs	12-24-55	32.5 33.1	24,000	10 -2-76	2.40	50
DRRALITOS CREEK AT FREEDOM	28	1956-	USGS	12-22-55	15.6(A)	3,620	1 -2-77	2.91	70
	SALINAS RIVER F	NICAS							
ALINAS RIVER NEAR POZO	70	1942-	USGS	1=25=69 1=25=69	13.9(C) 15.5(A)	18,600	3-16-77	10.75	10
ACK CREEK NEAR TEMPLETON	25	1949-	USGS	2-24-69	11.3	A,160	1 -6-77	2,15	4
STRELLA RIVER NEAR ESTRELLA	922	1954-	USGS	2-24-69	10.4(4)	32,500	10 -1-76	1.96	A O
ALINAS RIVER NEAR BRADLEY	2535	1948-	USGS	2-24-69	20.3(A)	117,000	B =5=77	7.09	700
RROYO SECO NEAR SOLEOAD	244	1901-	USGS	4- 3-58	16.4	28,300	1 =3=77	4.20	550
ALINAS RIVER NEAR SPRECKELS	4156	1900=01 1929=	USGS	2=26=69 1=16=52	26.5(C) (3A)P.65	83,100	10 -4-76	5.33	70
1	CARMEL RIVER BA	NISIN							
ARMEL RIVER AT ROBLES DEL RIO	193	1957-	USGS	4= 2=58 12=23=55	10.5 11.7(A)	7,100 6,930	10 -1-76	3.89	30
	BIG SUR RIVER F	BASIN							
IG SUR RIVER									
NEAR BIG BUR	47	1950-	บอดร	4- 2-58	11.6	5,680	1 -2-77	4.78	400

## PEAK FLOWS AND STAGES (CONTINUED) METRIC UNITS

1	DRAINAGE		. SOURCE	•	VIOUS MAXIMO			1976-1977 WATER YEA	R T
1 STHEAM AND STATION	. SD KM	. HECOHO	. RECORD	DATE	STAGE . IN METRES .	DISCHARGE .	DATE .	STAGE . N METRES .	DISCHARGE T IN M /S 1
				RAL CDASTAL					
9F.D#	ODD CREEK BA	SIN							
REDWOOD CREEK AT REDWOOD CITY	5	1959-	USGS	1=31=63	2.9	18	1 -2-77	0,79	1.2
PESC	ADERU CREEK	RASIN							
PESCADERO CREEK NEAR PESCADERO	119	1951-	USGS	12-23-55	6.5	266	3=16=77	0.74	1.9
SAN	LOPENZO RIVE	R BASIN							
SAN LURENZO PIVER AT HIG THEFS	287	1936-	USGS	12-23-55	6.9	860	3-15-77	1.33	7.4
soar	IEL CHEEK RAS	IN							
SORUEL CHEEK AT SURUEL	104	1951-	USGS	12-23-55	6.8	447	12-30-76	1,05	3.3
PAJ	ARD RIVER BAS	IN							
HODFISH CHEEK NEAR GILHOY	1.8	1959=	USGS	1-31-63	2.5	35	3-15-77	0.80	0.1
TPES PINOS CHEEK NEAM TRES PINOS	533	1939-	USGS	4- 4-41	2.4	72A	10 -1-76	1,51	2.5
SAN BENITO PIVER NEAR HOLLISTER	1517	1949-	us <b>es</b>	4- 3-58	5.0	<b>32</b> 8	10 -2-76	1.52	1.3
PAJARO RIVER AT CHITTENDEN	3071	1939+	USGS	12-24-55 4- 3-58	9,9	679	10 -2-76	0.73	0,5
CORRALITUS CREEK AT FREEDOM	72	1956-	USGS	12-22-55	4.8(A)	102	1 -2-77	0.89	1.9
SAL	INAS RIVER BA	SIN							
SALINAS RIVEK NEAR POZO	181	1905-	USGS	1-25-69	4.7(C) 4.7(A)	526	3-16-77	3.2P	0.3
JACK CREEK NEAR TEMPLETUN	60	1909+	USGS	5-54-69	3.4	231	1 -6-77	0,66	0.1
ESTRELLA RIVER NEAR ESTRELLA	2387	1954-	USGS	5-54-49	3,2(A)	920	10 -1-76	0.60	5.5
SALINAS RIVER NEAR BRAOLEY	6565	1948-	0868	2-24-69	6,2(4)	3,310	A =5=77	2.16	19
ARROYO SECO NEAR SOLEDAD	631	1901-	USGS	a= 3=58	5.0	801	1 -3-77	1.28	15
SALINAS RIVER NEAR SPHECKELS		1900-01	USGS	2-26-69 1-16-52	8.1(C) 8.2(AC)	2,350	10 -4-76	1.62	2.1
CAR	MEL RIVER BAS	3110							
CARMEL RIVER AT RUBLES DEL HID	499	1957-	USGS		5.8 (A16.8		10 -1-76	1,19	1.0
916	SUR RIVER B	ASIN							
BIG SUR RIVER NEAR BIG SUR	121	1950-	uses	4- 2-58	3.5	160	1 -2-77	1.46	11

	ORAIMAGE		. SOURCE	•	VINUS MAXIM OF PECORD	(lb	•	1976-197 WATER YE	AR
I STREAM AND STATTING I	•	. RECORD	•	. DATE .	STAGE . IN FEET .	DISCHARGE IN CFS	. DATF .		DISCHARGE IN CES
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~				IRAL COASTAL					
ARRDY	n us fa ckn	7 HASIN							
ARROYD DE LA CHUZ NEAR SAN SIMEUN	41	1950=	บรดร	12- 6-66	15.3	35,200	1 -2-77	3.01	300
SANTA	MAPIN PIVE	P HASIN							
SISCHIC FIVER NEAR GARLY	471	1940-	บรดร	1-25-69	13.0	24.500	1 -6-77	3.84	7 0
SANTA MARIA RIVER AT GUADALUPE	1741	1940-	usas	1-16-52	A.2(C)	32,800	10 -2-76	5.55	5.0
SANTA	YNE7 RIVER	FASIN							
SANTA YMEZ HIVEH HELIIW GIHRALIAH DAM MEAR SANTA PAHHARA	216	1920-	USGS	1=25=69	25.8	54,200	10 -5-76		3
SANTA CRIIZ CREEK NEAM SAITA YEEZ	74	1941-	usgs	2=24=69	14.5(A)	7,050	5 =9=77	A.14	70
SAN J	NSE CPEEK A	ASIN							
SAN JUSE CREEK MEAR GULFIA	6	1941-	usgs	1-25-69	10.1 12.7	2,000	1 -2-77	4.95	300
ATASC	ANERO CRFEK	BASIN							
ATASCADEND CREEK MEAR GOLETA	19	1941-	uses	1-25-69	13.0	5,230	1 -2-77	6.08	950
CARPT	NTERIA CRFE	K BASIN							
CAMPINTERIA CHEEK	13	1941-	IISGS	12-27-71	14.1(4)	8,880	1 -2-77	2.87	250
			8011	TH CHASTAL A	REA				
	RA CREEK BA	SIN							
PALMATILIJA POT SPRING	S 55	1927=	แรดร	1=25=69	16.5	20,000	1 =9=77	2.76	80
VENTURA RIVER NEAR MEINERS (LAKS	76	1959-	USGS	1=25=69	• •	28,000(E)	10 -1-76	4.11	150
MERH DAK ATEM CUAULE CHEEK	13	1958-	USG\$	1=25=69	12.0	8,000	1 -2-77	5.71	150
VENTURA HIVER NEAR VENTURA	188	1911-14	USGS	1=25=69	24.3(A)	58,000	1 -2-77	8.01	A50
	CLARA RIVE	R RASIN							
SAN CLAHA RIVER AT LOS ANGELES-VENTURA CO. LI	NF 644	1952-	USGS	1-25-69	19.0	68,800	5 =8=77	7.12	1900
PIRU CREFK AUNVE LAKE PIRU	372	1955=	USGS	2=25=69	1A.6(A)	31,200	5 -8-77	5.26	300
SESPE CREFK NEAR FILLMORF	251	1911-13 1927-	USGS	1-25-69	8.05 (A)0.65	60,000	5 =9=77	11.49	1000
SANTA PAULA CHEEK NEAR SANTA PAULA	40	1927-	USGS	2-25-69	15.2(A)	21,000	1 -2-77	3.79	150
MAL 1 H	U CREEK RAS	IN							
MALINI CREEK AT CRATER NEAR CALAMASAS	105	1931=	USGS	1=25=69	21.4	33,800	1 -7-77	4.48	600
HALLO	NA CREEK BA	SIN							
RALLINA CREEK NEAR CILLVER CITY	90	1928-	USGS	11-21-67	14.9	32.500	10-23-76	8.21	10200

## PEAK FLOWS AND STAGES (CONTINUED) METRIC UNITS

T T	. nevt	NAGE	. PERIOD	SOURCE	. P#F	VIOUS MAXIMU OF RECORD	M .	1976-1977 1 WATER YEAR			
1 SIMA WAMES 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. AREA . SO I	κ w. Ι ν)	. 0F . RECORU	. PECOND	PATE	STAGE . IN METRES .	DISCHANGE . IN M /S .	DATE .	STAGE .	DISCHARGE T	
						ARFA (CONT)					
Δ	PROYO DE L	A CRU	7 HASIN								
ARROYD OF LA CHUZ		106	1950=	HSGS	12- 6-66	4.7	996	1 -2-77	0,92	7 _o Q	
s	ANTA MARTA	PIVE	R PASIN								
STSQUEC HIVER MEAR GAMEY		1219	1940-	USGS	1-25-69	u.n	693	1 -6-77	1.17	2.0	
SANTA MARIA RIVER		4509	1940-	USGS	1-16-52	2.5(0)	958	10 -2-76	1.69	0.7	
s	SANTA YNEZ	RIVER	PASTN								
SAPTA YMEZ HIVER HELUK GIHHALIAN DA NEAR SADIA HARRARA		559	1920-	uses	1-25-69	7.9	1,530	10 -5-76		0.1	
SANTA CHILL CHEEK		191	1941-	uses	2-24-69	u , u ( A )	199	5 •9•77	5.48	2.0	
S	SAN JUSE CR	FEK H	451%								
SAN JUSE EREER NEAR GULFIA		15	1941-	USGS	1-25-69	3.1 3.9	56	1 -2-77	1.51	A.1	
٨	TASCADERD	CREEX	BASIM								
ATASCADENCE CHEEK		49	1941-	uses	1-25-69	4.0	148	1 -2-77	1.85	27	
C	APPINTER1A	CHEE	M HASIN								
CARPINTERIA CREEK NEAR CARPINTERIA		33	1941-	USGS	12-27-71	u,3(A)	251	1 -2-77	0.87	7,0	
				5001	TH COASTAL	AREA					
٧	VENTURA CRE	EK RA	SIM								
MATILIJA CRFEK AT MATILIJA HOT SE	PRINGS	142	1927-	USGS	1=25=69	5.0	566	1 -9-77	0.84	2.3	
NEAR MEINTHS HAKS		196	1959-	USGS	1-25-69		792(E)	10 -1-76	1,25	4 . 1	
COADLE CHEEK		33	1958+	USGS	1-25-69	3.7	556	1 -2-77	1.74	4.5	
VENTURA HIVEH NEAR VENTURA			1911-14	USGS	1-25-69	7.4(4)	1,640	1 -2-77	2.44	24	
\$	SANTA CLARA	RIVE	R BASIN								
SAN CLARA RIVER AT ANGELES-VENTURA CO		1667	1952-	USGS	1=25=69	5.8	1,950	5 -8-77	2,17	53	
PIRU CHEEK AHUVE LAKE PIRU		963	1955-	USGS	2=25=69	5.7(A)	883	5 =8=77	1.60	A.5	
SESPE CHEEK MEAR FILLMORF		650	1911-13	usgs	1-25-69	6.3 7.6(A)	1,700	5 -9-77	3.50	28	
SANTA PAULA CREEK NEAM SANTA MANLA		104	1927-	USGS	2-25-69	4.6(A)	594	1 -2-77	1,16	3.8	
	MALIBH CREE	K RAS	SIN								
MALIBU CHEEK AT CRI NEAR CALABASAS	ATER CAMP	271	1931-	USGS	1=25=69	6.5	957	1 -7-77	1,37	16	
	RALLONA CRE	FK R	451N								
NEAR CULVER CITY		233	1928-	USGS	11-21-67	4.5	920	10-23-76	2.50	287	

	. ORAINAGE		. SOURCE		. PREVIOUS MAXIMUM DE RECORD			. 1976-1977 WATER YEAR		
STREAM AND STATION	. AREA IN . SQ MILES	. RECORD	. RECORD		STAGE . IN FEET .	IN CFS	. DATE .	IN FFFT .	DISCHARGE IN CES	
					REA (CONTIN					
Lns	ANGELES RIVE	R BASIN								
OS ANGELES RIVEN AT SEPULVEDA DAM	158	1929-	USGS	1=25=69	11.4	13,800	5 =R=77	А, А5	9500	
OS ANGELES RIVER AT LOS ANGELES	514	1929-	USGS	3= 2+38		67,000	1 -3-77	A.10	23300	
IN HUNDU NEAR UUNNEY	143	1928-	USGS	1-25-6R	15,2	46,900	10-23-76	3.22	2900	
SANI	TA AMA RIVER	RASIN								
ANTA ANA HIVEH NEAR MENTONE	209	1886=	USGS	3= 2=38	14.3(6)	52,300	5 +8=77	4.50	500	
AN GARRIEL RIVER RELOW SANTA FF DAM NEAR RALDWIN PARK	236	1942-	USGS	1=26=69	22.2	30,900	5=16=77	10.57	60	
ANTA ANA RIVER AT °E' NEAR SAN BERNAPOINO	' ST 532	1939-54 1966-	USG <b>S</b>	2=25=69	16.5	28,000			N/s	
AILL CREEK NEAR YUCAIPA	42	1919-38 1947-	υSGS	1=25=69	16.A(A)	35,400	1 -3-77	A,32	100	
YTLE CREEK NEAR FONTANA	46	1918-	USGS	1-25-69	15.0(4)	35,900	1 -3-77	4.16	300	
BANTA ANA RIVER AT M.W.D. CROSSING	A54	1970-	usgs	12-29-70	10,9	5,300	1 =3=77	9.38	1650	
BAN JACINTO RIVER NEAR SAN JACINTO	141	1920-	USGS	2=16=27	• •	45,000	5 -9-77	9,92	40	
ANTIAGO CREEK AT MOOJESKA	13	1961-	USGS	2+25+69	6.2	6,520	1 -7-77		50	
ANTIAGO CRFEK AT SANTA ANA	95	1928-	USGS	2-25-69 1-16-52	9.1(C) 9.8	6,600	R=17=77	2.66	150	
SAN	JUAN CREEK R	ASIN								
IAN JUAN CREEK NEAR SAN JUAN CAPISTE	RAND 106	1928-	USGS	2+25+69	5,6(AC)	22,400	5 -8-77	2.28	50	
	A MARGARITA ER BASIN									
ANTA MARGARITA RIVER NEAR TEMECULA	588	1923-	USGS	2-16-27	14,6(C)	25,000	1 -6-77	4.28	350	
ANTA MARGARITA RIVER A7 YSIDORA	739	1923-	USGS	2+16-27	18.0(0)	33,600			NO FLOW	
SAN	LUIS REY RIVI	ER BASIN								
AN LUIS REY RIVER AT MONSERATE NARROWS NR		1935=41 1946=	USGS	2- 7-37	8.7(C)		1 -6-77	4,55	20	
AN LUIS REY RIVER NEAR BONSALL		1916=18	USGS	3+ 3+3A	16,0	18,100	1 -6-77	8.63	250	
SAN	OTEGUITO RIVE	ER BASIN								
ANTA YSABEL CREEK NEAR RAMONA	112	1912-23 194 <b>3-</b>	USGS	1-27-16	14,0(C)	28,400	5+10+77	2.51	10	
ANTA YSABEL CHEEK NEAR SAN PASQUAL	128	1905-12	usgs	3-24-06	6.3(C)	A,000	1 -3-77	1,48	7	
SAN	OIEGO RIVER A	RASIN								
AN DIEGO RIVEH NEAR SANTEE	377	1912-	USGS	1-27-16	25,1(0)	70,200	5 =9+77	6.R1	950	
SWEE	TWATER RIVER	RASIN								
WEETWATEN RIVER NEAR DESCANSO	46	1905-27 1956-	USGS	2-16-27	13.2(AC)	11,200	1 -3-77	1.22	40	
,	JANA RIVER BAS	SIN								
IJUANA PIVER NEAR DULZUKA	481	1936-	USGS	2- 7-37	8,5	4,700	1 -7-77	2.42	Q	

1	ORAINAGE	AGE PERIOD SOUR	SOURCE	•	FVIOUS AXTMU	IM .		1976-1977 WATER YEAR	1 T
1	. 30 KM	. RECORD	. RECORD	DATE .	STAGE . IN METRES .	DISCHARGE . IN M /S .	DATE .	STAGE .	DISCHARGE T
					AREA (CONTINU				
LOS A	NGELES RIVE	R BASIN							
LOS ANGELES RIVER AT SEPULVEDA DAM	409	1929-	USGS	1-25-69	3,5	39 n	5 -8-77	2.70	PAG
LOS ANGELES HIVEH AT LUS ANGELES	1331	1929-	USGS	3- 2-3A		1,900	1 -3-77	2.47	659
RIO HUNDO NEAR DUNNEY	370	1928-	USGS	1-25-69	4.6	1,330	10=23=76	N. Q.M	A 1
SANTA	ANA RIVER	RASIN							
SANTA ANA RIVEN NEAR MENTONE	541	1896-	USGS	3- 2-38	4.4(0)	1,480	5 -8-77	1.37	14
SAN GARRIEL RIVER BELOW SANTA FE DAM NEAR HALDWIN PARK	611	1942-	USGS	1-26-69	6 <b>.</b> A	A74	5=16=77	3.22	1.7
SANTA ANA RIVER AT "E"		1939-54 1966-	USGS	2-25-69	5.0	792			N/A
MILL CREEK NEAR YUCAIPA		1919-38	USGS	1-25-69	5.1(4)	1.000	1 -3-77	2.54	3,1
LYTLE CREEK NEAR FONTANA	119	1918-	USGS	1-25-69	4.A(A)	1,020	1 -3-77	1.27	я, н
AT M.W.O. CROSSING	2211	1970-	USGS	12-29-70	3,3	150	1 -3-77	2.86	46
SAN JACINTU RIVER NEAH SAN JACINTO	365	1920-	U9G9	2-16-27		1.270	5 -9-77	3.02	1.2
SANTIAGO CREEK AT MOOJESKA	33	1961-	USGS	2-25-69	1.9	184	1 -7-77		0.5
SANTIAGO CREEK AT SANTA ANA	246	145v-	USGS	2-25-69	2.A(C) 3.0	186	8-17-77	0.81	4.6
	UAN CREEK B	ASIN							
SAN JUAN CREEK NEAR SAN JUAN CAPISTRA		1928=	USGS	2-25-69	1.7(AC)	634	5 -8-77	0.68	1.3
	MARGARITA R BASIN								
SANTA MARGARITA RIVER NEAR TEMECULA	1522	1923-	uses	2-16-27	4.5(0)	707	1 -6-77	1.31	9.4
SANTA MARGARITA RIVER AT YSIOORA	1914	1923-	usgs	2-16-27	5,5(0)	951			NO FLOW
SAN L	UIS PEY RIV	ER BASIN							
SAN LUIS REY RIVER AT MONBERATE NARROWS NR P	ALA 966		USGS	?- 7-37	2.7(0)	• •	1 -6-77	1.39	0.6
SAN LUIS REY RIVER NEAR BONSALL		1929-	USGS	3- 3-38	4.9	512	1 -6-77	2,63	7.3
	IEGUITO RIV	ER BASIN							
SANTA YSABEL CREEK NEAR RAMONA	290	1912-23	USGS	1-27-16	4.3(0)	ROU	5-10-77	0,77	n.4
SANTA YSABEL CREEK NEAR, SAN PABQUAL	331	1905-12	USGS	3-24-06	179(0)	554	1 -3-77	0.45	0.2
	IEGO PIVEH	BASIN							
SAN DIEGO RIVEH NEAR SANIEF		1912-	USGS	1-27-16	7.7(0)	1.990	5 =9=77	2.08	26
SWEETWATER RIVER	WATER RIVER	1905-27							
NEAR OESCANSO	119	1956-	USGS	2-16-27	4.0(AC)	317	1 -3-77	0.37	1,2
	NA RIVER BA	SIN							
TIJUANA RIVER NEAR OULZURA	1245	1936-	USGS	2- 7-37	2.6	133	1 -7-77	0.74	F.0

1	•	PERTOD	•		ITHS MAXIM			1976-19 WATER Y	FAR
T STREAM AND STATION T	SQ MILES	. DF . PFCORD	. RECUPO			DISCHARGE IN CES	DATE .		. DISCHARGE IN CES
			CENT	PAL VALLEY A	REA				
SACH	WENTO PIVE	R HASIN							
SACRAMENTO RIVER	425	1944-	uses	12-22-64	20.1	38,800	9-19-77	7.37	2300
PIT WIVEH	2475	1904-31	USGS	3-19-07	16.7	33,800	5-13-77	4.10	450
PIT RIVER RELUM	4647	1922-	uses	1-25-70	18.1	32,500(E)	10-30-76	0.50	250
MECTONO PIVER	604	1945-	uses	12-22-55	2.85	45,200	9-29-77	10.70	750
SACHAMENTO HIVEH	646R	1938-	USGS-NWR	2-23-40	47.2(C)	186.000	7 -7-77	14.52	11800
AT PHENCH GULLH	115	1950-	uses	12-22-64	13.7	7,600	5 -2-77	3.75	100
CLEAR CHEEK NEAR IGO	228	1940-	USGS	12-21-55	13.8	24,500	9-19-77	3,40	300
CON CHEEK	425	1949-	บรคร	12-27-51	21,6	45.200	5-11-77	4.53	1700
COTTUMBUDD CHEEK MEAH COTTONWOOD	922	1940-	บรดร	12-22-64	19,6	60,000	9-20-77	8.52	5500
MATTLE CEFER HELDW CDEEMAN FISH FATCHERY NEAR COTTONWOOD	358	1961-	usgs	12-11-37	15.8(AC)	35,000	1 +2+77	2.83	1000
AL REWO HHIDGE	••	1960=	DWR	1-24-70	48.3	158,000	6+30+77		11700
NEAR HED HILLER PAYMES CHEEK	93	1949-	IISGS	12- 1-61	11.3	10,600	1 -2-77	4,80	700
NED HANK LEEK	94	1948-	DWR	1= 5=65	10.1	9,730	5-11-77	4,74	150
ANTELOPE CHEEK NEAH HED HLOFF	123	1940-	USGS	1-23-70	18.0	17.200	1 +2+77	7,38	950
FLOER CREEK NEAR PASKENTA	93	1948-	USGS	2-24-5A	13.9(C)	11,700	3-14-77	7 17	000
MILL CREEK NEAR LOS MOLINOS	131	1909-13					3-16-77	3,13	400
THOMES CHEEK AT PASKENIA	194	1928-	USGS	12-11-37	23,4(A)	36,400	9-29-77	3,03	450
DEEM CPEFK		1911-15			15,3	37,800	3-16-77	3.55	300
SACRAMENTO PIVER	808	1920-		12-10-37	19,2(A)	23,800	1 -2-77	3,36	400
AT VINA HRIDGE	••	1945=	DWR	1-24-70	191,5(1)	171,000 228,000(L)	1 -3-77	169.24	14200
SACRAMENTO RIVER AT HAMILTON CITY (HEFURE SHASTA DAM)	••	1927-43	DWR	12-11-37	150.7CCT	350,000(EL			
SACRAMENTO RIVER AT HAMILION CITY (AFTER SHASTA DAM)	••	1944-	DWR	1-24-70	150,8(7)	156,000	1 -3-77	130.82	14400
MIG CHICD CREEK	72	1930-	USGS	1= 5=65	15.4	9,580	1 +3-77	2.85	250
STONY CREEK NEAM FRUITU	598	1901-12	USGS	12-23-64	15.9	40,200	4 -6-77	4.34	400
SACHAMENTO HIVEH AT OHO FERRY (REFORE SHASTA DAM)	••	1921-43	DWR	2-28-40	121,7(1)	370,000(EL			
SACRAMENTO RIVER AT ORD FERRY (AFTER SHASTA DAM)	••	1944-	DWR	1-24-70	119,8(7)	265,000(EL	1 +3-77	99.42	14700
SACPAMENTO HIVEH AT HUTTE CITY (REFUME SHASTA DAM)		1921-43	USGS+DWR	2- 7-42	96.9	170,000			
				_62_					

1	. DRAINAGE				DE RECORD	IIM .		1976-1977 WATER YFA	
1 STREAM AND STATION 1	. AREA IN . SO KM	. PECORD		DATE		DISCHARGE .	NATE .		DISCHARGE I
			CENTE	RAL VALLE	Y AREA				
SACRA	MENTO RIVER	RASIN							
SACRAMENTO HIVER AT OFLIA	1100	1944-	uses	17-22-64	6.1	1,100	9-19-77	2.25	65
PIT WIVEH WEAR MIERER		1904-31	USGS	3-1 -07	5.1	957	5-13-77	1.26	13
PIT RIVER HELUV PIT NO.4 OAK	12035	1922-	uses	1-25-70	5.5	920(E)	10-30-76	1.38	7.0
MCCLUHO RIVEH AMOVE SHASIA LAKE	1564	1945=	USGS	12-22-55	8.6	1,280	9-29-77	3.26	21
SACRAMENTO MINEM AT RESMITE	16752	1938-	USGS-0*R	2-23-40	14.4(0)	5,270	7 -7-77	4.43	334
CLEAR CREEK AT FRENCH GULUN	297	1950-	usgs	12-22-64	4.2	215	5 -2-77	1.14	2.9
CLEAR CREEK MEAP 160	590	1940-	USGS	12-21-55	4.7	693	9-19-77	1.04	8.4
COM CHEEK NEAR MICCVILLE	1100	1949-	USGS	12-27-51	6.6	1.280	5=11=77	1.38	a A
COTTONWOOD CREEK	2387	1940-	USGS	12-22-64	5.0	1,700	9=20=77	2.60	62
HATTLE CHEEK HELDW COLEMAN FISH HATCHERY NEAR COTTONNOON	927	1961-	USGS	12-11-37	4.8(AC)	991	1 -2-77	0.86	SW
SATHAMENTO HIVEH		1960-	DWR	1-24-70	14.7	4,470	6-30-77		331
PAYNES CHEEK	240	1949-	USGS	12- 1-61	3.4	300	1 -2-77	1.46	20
RED MANK ERFFR NEAR MED HLUFF	243	1948-	DWR	1- 5-65	3.1	275	5=11=77	1.44	4.6
ANTELOPE CREEK NEAR RED HLOFF	318	1940-	uses	1-23-70	5.5	487	1 -2-77	2.25	27
ELDER CHEEK NEAR PASKENTA	240	1948-	uses	2-24-58	4.2(C)	331	3+16-77	0.95	11
MILL CREEK NEAR LOS MOLINOS	339	1909-13	USGS	12-11-37	7.1(A)	1.030	9+29+11	0.92	12
THUMES CREEK	502	1920-	USGS-DWR	12-22-64	4.7	1,070	3-16-77	1.08	A.9
DEER CHEEK		1911-15	USGS-DWR	12-10-37	5.9(A)	673	1 -2-77	1.02	11
SACRAMENTO MINGE	<b>~</b> •	1945=	UWA	1-24-70		4,840 6,460(L)	1 -3-77	51.58	402
SACRAMENTO RIVER HAMILION CITY (HEFURE SHASTA DAM)	• •	1927-43	DWR	12-11-37	45.9(CT)	4,840(EL)			
SACHAMENTO RIVER AT MAMILIUN CITY (AFILK SHASTA DAM)		1944-	DWR	1-24-70	46.0(1)	4,420	1 -3-77	39.87	407
HIG CHICO CPFEK NEAR CHICU	186	1930-	USGS	1- 5-65	4.7	271	1 +3+77	0.87	7.2
STONY CHEEK NEAR FAUID	1548	1901-12	USGS	12-23-64	4.8	1,140	4 -6-77	1.32	11
SACRAMENTE RIVER AT OHD FERRY (MEFURE SHASTA DAM)		1921-43	DWR	2-28-40	37.1(1)	1,140TEL)			
SACRAMENTO PIVER AT DMD FERRY (AFTER SHASTA DAM)		1944-	DWR	1-24-70	36.5(T)	7,500(EL)	1 -3-77	30.30	416
SACRAMENTO MIVER AT MOTTE CTIY (HEFORE SHASTA DAM)		1921-43	USG3-DWR	2- 7-42	29.5	7,500			

I I I STHEAM AND STATION	ORAINAGE PERIOD	 PREVIOUS MAXIMUM OF RECORD	:	1976-1977 Water year
I I		D. DATE . STAGE . DISCHARGE . IN FEET . IN CFS	. DATE	

			CENTE	RAL VALLEY	AREA (CONTI	NUEDI			
SACRAMENT (CONTINU	O RIVER 8 (ED)	ASTN							
SACRAMENTO RIVER AT BUITE CITY (AFTER SHASTA DAM)	1	944-	USGS-DWR	2-20-58 1-24-70	96.7	160,000 225,000(L)	1 -3-77	73,33	13700
MOULTON WETH SPILL TO BUTTE BASIN	1	935•	DwR	1-25-70	83.6 83.8	36,400(R)			NO FLOW
COLUSA WEIK SPILL TO BUTTE PASIN	1	935-	OWR	3- 1-40	70.6	86,000(R)			NO FLOR
SACRAMENTO RIVER AT COLUSA	12110 1	940-	USGS-DWR	2- 8-42	69.2	49,000	1 -4-77		10700
COLUSA HASIN DRAIN AT MIGHWAY 20	1	924-	DWR	2-21-58	51.9	25,400(E)	5 -4-77	43.77	1200
BUTTE CREEK NEAR CHICO	147 1	930-	USGS	12-22-64	14.1	21,200	1 -1-77	2.16	500
BUTTE SLOUGH Near Meridian	1	968=	DWR	1-26-70	61.5(F)	152,000(E)	1 =4=77	44.64	750
TISDALE WEIR SPILL TO SUTTER RYPASS	1	940-	DWR	3- 1-40	53.3	25,700(B)			NO FLOR
SACRAMENTO RIVER HELDW WILKINS SLOUGH	12926 1	938-	USGS	1-26-70 3- 1-40	50.7 52.8	29,300	1 -4-77	33.84	10900
SACRAMENTO RIVER AT KNIGHTS LANDING	19 14541 1	21-39 940-	USGS-DWR	1-26-70 2- 8-42	40.9 41.8[0]	30,800	1 -5-77		10600
MIDOLE FORK FEATHER RIVER NEAR CLID	686 1	925*	USGS	2- 1-63	16.2	14.500	2-21-77	5.30	450
MIDDLE FORK FEATHER RIVER NEAR MERRIMAC	1062 1	<b>951-</b>	USGS	12-22-64	26,5(4)	86,200	2-22-11	6.99	850
NORTH FORK FEATHER RIVER NEAR PRATTVILLE	493 1	905-	uses	3-19-07	16,2(0)	10,000	3-25-77	2.64	50
BUTT CREEK BELOW Almador-Butt Creek Tunnel Near Prattville		36-59 964-	USGS	12-23-64	5.9	3,830	2-21-77	0.94	100
INDIAN CREEK NEAR CRESCENT MILLS		06-18 930-	USGS	3-19-07	20.2(01	25,000	2-21-77	3.14	250
SPANISH CREEK ABOVE BLACKMANK CREEK AT KEODIE	184 1	933-	USGS	12-22-64	13.5	15,400	2-21-77	2,79	250
NORTH FORK FEATHER RIVER AT PULGA	1953 1	910-	USGS	12-22-64	35.A	73,000(H)			
WEST BRANCH FEATHER RIVER NEAR PARADISE	110 1	957•	USGS-DWR	12-22-64	26,2(A)	26.300	Q=22=77	5.22	300
FEATHER RIVER AT OROVILLE (BEFORE DROVILLE DAM)	3624 1	894+67	USGS-DWR NOAA	3-19-07 12-22-64	28.2	230,000(CP 252,000(Q)			
FEATHER RIVER AT OROVILLE (AFTER OROVILLE DAM)	3624 1	967•	USGS-DWR	1-25-70	15,3	56,300(N)	8-10-77	0.65	450
THERMALITO AFTERBAY RELEASE TO FEATMER RIVER NEAR OROVILLE	1	967=	USGS-DWR	1-28-70	23.3	21,600	4-28-77		3000
FEATHER RIVER NEAR GRIDLEY (BEFORE ORDVILLE DAM)	3676 1	929-67	USGS-DWR	12-23-55	102.2(1)				
FEATMER RIVER NEAR GRIDLEY (AFTER OROVILLE DAM)	3676 1	967-	USGS-DWR	1-27-70	92.8(1)	72,900	4-28-77	76.15	3200

12-26-64

19.3

17,600

1 -3-77

3.23

50

USGS

31

SOUTH MONCUT CREEK NEAR BANGOR

1950-

#### PEAK FLOWS AND STAGES (CONTINUED)

		-		FTRIC UNI	TS CCOMPTNOTED	,			
1 :	DRAINAGE	PERIOD	. SOURCE .	PR	EVIOUS MAXIM OF RECORD	łjM ,		1976-1977 WATER YFA	f T
I SIKEAM MAD SIMILIDA .	30 KM	RECORD	. RECORO .	DATE .	STAGF .	DISCHARGE .	najr .	STAGE .	DISCHARGE 1 14 4 /S T
***************************************					AREA (CONTI		• • • • • • • • • • • • • • • • • • • •		
SACRAME (CDNT)	NTO RIVER	BASIN							
SACRAMENTO RIVER AT BUTTE CITY (AFTEP SHASTA DAM)	• •	1944-	USGS+DWR	2-20-58 1-24-70	29.5	4,530 6,730(L)	1 =3=77	22.35	387
MOULTON WEIR SPILL TO BUTTE BASIN	• •	1935=	DWR	1-25-70	25.5 25.5	1,030(8)			NO FLOW
COLUSA WEIR SPILL TO BUTTE BASIN		1935-	OWR	3- 1-40	21.5	2,440(8)			NO FLOW
SACRAMENTO RIVER AT COLUSA	31365	1940-	USGS-DWR	2- 8-42	21.1	1.390	1 -4-77		305
COLUSA BASIN ORAIN AT HIGHWAY 20		1924=	OWR	2-21-58	15.8	719(E)	5 -4-77	13.30	34
BUTTE CREEK NEAR CHICO	380	1930-	USGS	12-22-64	4.3	600	1 -1-77	0.66	1 a
BUTTE SLOUGH NEAR MERIDIAN		1968-	DWR	1-26-70	18.7(F)	4,300(E)	1 -4-77	13.61	50
TISOALE WEIR SPILL TO SUTTER BYPASS		1940-	DWR	3- 1-40	16.2	727(R)			NO FLOW
SACRAMENTO RIVER BELOW WILKINS SLOUGH	33478	1938=	USGS	1-26-70	15.5	A 2 9	1 -4-77	10.31	308
SACRAMENTU RIVER AT KNIGHTS LANDING	37661	1921-39	USGS-DWR	1-26-70	12.5 12.7(D)	872	1 =5=77		300
MIDDLE FORK FEATHER RIVER NEAR CLID	1776	1925-	USGS	2- 1-63	4.9	410	2-21-77	1,62	12
MIDDLE FORK FEATHER RIVER NEAR MERRIMAC	2750	1951-	USGS	12-22-64	8.1(A)	2,440	2-22-77	2.13	<b>?</b> 4
NORTH FORK FEATHER RIVER NEAR PRATTVILLE	1276	1905#	USGS	3-19-07	4.9(0)	283	3-25-77	0.80	1.3
BUTT CREEK BELOW ALMADOR-BUTT CREEK TUNNEL NEAR PRATTVILLE		1936-59 1964+	USGS	12-23-64	1.8	108	2-21-77	0.29	2,7
INDIAN CREEK NEAR CRESCENT MILLS		1906-18	USG5	3-19-07	6.2(C)	707	2-21-77	0.96	7,3
SPANISH CREEK ABOVE BLACKHARK CREEK AT KEDDI	IE 476	1933-	USG\$	12-22-64	4.1	436	2-21-77	0.85	7.1
MORIH FORK FEATHER RIVER AT PULGA	5058	1910-	USGS	12-22-64	10.9	2,070(H)			
MEST BRANCH FEATHER RIVER NEAR PARADISE		1957-	USGS-DWR	12-22-64	8.0(A)	744	9-22-77	1.59	A.5
FEATHER RIVER AT DROVILLE (BEFORE DROVILLE DAM)		1894-67	USGS-DWR NOAA	3-19-07 12-22-64	8.6	6,510(CP) 7,140(0)			
FEATHER RIVER AT ORDVILLE (AFTER DROVILLE DAM)	9386	1967-	USGS-OWR	1-25-70	a . 7	1,590(N)	A=10=77	0.20	12
THERMALITO AFTERBAY RELEASE TO FEATHER RIVER NEAR OROVILLE		1967-	USGS+DWR	1-26-70	7.1	611	a-2K-77		Aa
FEATHER RIVER NEAR GRIDLEY (BEFORE DROVILLE DAM)	9521	1929-67	USGS-DWR	12-23-55	31.2(1)	• •			
FEATMER RIVER NEAR GRIDLEY (AFTER DROVILLE DAM)	9520	1967-	USGS-OWR	1-27-70	28 <b>.</b> 3(T)	2,060	4-28-77	23.21	90

80 1950+ USGS 12-26-64 5.9 498 1 -3-77 0.98 1.5

SOUTH HONCUT CREEK NEAR RANGOR

	DRAINAGE			•	FVIOUS MAXIN		•	1976-197 #ATER YE	
	ARFA IN SO MILES			DATE		DISCHARGE IN CFS	DATE .		DISCHARGE IN CFS
			CENT	RAL VALLEY	AREA (CONTI	NUED1			
	FNTO RIVER IMUENJ	HASIN							
AT THE FILE AND THE STATE OF TH	3974	1943-	USGS-DWR	12-23-64	76.4 R2.0	172.000	5 -1-77	40.18	(1)
NURTH YUMA RIVER	250	1930-	USGS	2- 1-63	23,8(4)	40,000	2-21-77	4.04	600
NORTH YUHA RIVER BELOW NEW MILLIARDS PAR DAM NEAR SAN JUAN	496	1940-	USGS	1-22-70	35.3 40.5(C)	56,200 91,600(M)	1 -2770	5.70	>0
SOUTH YORK RIVER NEAR CISCO	52	1947-	USGS	1=31=63	20,6(A)	18,400	5-26-77	4,49	500
SOUTH YUHA RIVER AT JONE HAR NEAR GRASS VALLEY	S 308	1940-48 1959-	USGS	12-72-64	25.0(A)	53.600	2-21-77	5.86	550
YIIHA HTVEH HELDH ENGLEHRTGHT DAM	1108	1941-	USGS	12-22-64	564,1(01	171,000(Ķ1	12 -3-76	4,91	950
DEFR CHEEK	A5	1935=	USGS	10-13-62	13.R	11,600	1 -3-77	4,33	450
YURA HIVEH NFAH MAHYSVILLE	1339	1940-	USGS	17-27-64	90.2	180,000	10 -5-76	60.44	650
HEAR REVER NEAR AMEATLAND	292	1928-	USG8	12-22-55 11-21-50	19.3(C1 20.8(C)	33,000	10 -1-76	5.50	200
FEATHER FIVER	5920	1943-	USGS-OWR	12=23=55	51.6	357,000	10 -1-76	21.81	3600
FREMONT WEIR (KEST FND) SPILL TO YOLO RYPASS		1934-	DWR	12=23=55	39,7	299,000(8)			NO FLOW
SACHAMENTO HIVEH AT VERUNA	21257	1929-	USGS=DWR	3- 1-40	41.2	79.200	1 =5=77	14,52	14200
SACRAMENTO WEIR SPILL TO YULO HYPASS NEAR SACRAMENTO		1926=	USGS-DWR	3=26=28 12=23=55	32.A 33.0	118,000(BE			NO FLOM
NORTH FORK DAM	342	1941-	uses	12-23-64	11.9	65,400	5-27-77	1.09	550
RUBICON RIVER NEAR FORESTHILL	315	1958-	USGS	12-23-64	55.9(AI)	• •	2-21-77	7.60	150
MIDDLE FURK AMERICAN RIVE NEAR FORFSIHILL	ER 524	1958-	USGS	12-23-64	69.0(AI)	310,000(1)	3-11-77	7,27	1150
MIDDLE FORK AMERICAN RIVE NEAR AUMERN	ER 614	1911-	USGS	12-23-64		253,000(1)		7.28	1050
SOUTH FORK AMERICAN RIVER	e 493	1922-	USGS	12-23-55	32.6(A)	49,600	9-13-77	5.49	30
SOUTH FORK AMERICAN RIVER NEAR LOTUS	673	1951=	USGS	12-23-55	21.4	71.600	9 -7-77	6.67	1750
AMERICAN MIVER AT FAIR CAMS (HEFURE FOLSOM DAM)	1888	1904-55	usgs	11-21-50	31,9(0)	180,000			
AMERICAN HIVER AT FAIR (IAKS (AFTER FOLSOM DAM)	1888	1955-	USGS	12-23-64	21.6	115,000	12 -6-76	6,56	1900
SACRAMENTO RIVER AT SACHAMENTO	23530	1879=	USGS-DWR	11-21-50	30,1(C)	104,000	1 -5-77		13700
SACRAMENTO RIVEP AT MALNIIT GROVE		1929-	DWR	12-25-64	12.2		6-30-77	4.45	(D)
ADDRE CREEK NEAR KELSEYVILLE	6	1954-	USGS	12-22-64	9,1	1,500	1 -2-77	0,91	30
KELSEY CREFK NEAR KELSEYVILLF	37	1946-	USGS	12-21-55	12.6	8.800	1 -2-77	4.2R	100
CACHE CHEEK NFAP LOWER LAME	520	1944-	USGS	2-24-58	9.4	8,000	12-24-76	0.74	10

	AINAGE PERIC		SOURCE .	MRE	VIOUS MAXIM			1976-1977 I WATER YFAR J		
	O KM	. HECORO .	RECORD .	DATE .	STAGE .	OISCHAPGE . IN M /S .	DATE .	STAGE .	DISCHARGE T IN M /S T	
			CENTH	At VALLEY	AREA (CONTI	NUFO)				
SACHAMENT		PASIN								
FEATING PIVEN AT YURA (TIY	10292	1943-	USGS=DWH	12-23-64	23.3 25.1	4,870	5 -1-77	12.25	(6)	
MORTH YORK RIVER HELDE GROWTERS HAR	647	1930-	บรถร	2- 1-63	7,3(A)	1,130	2-21-77	1.23	17	
NORTH YINE BIVER HELIN NEW HILLARIS HAR DAM NEAR SAN JUAN	1269	1940-	USGS	1-22-70	10.8	1,590 2,590(*)	1 ~2770	1.74	n , 4	
STOTE YORA RIVER	134	1942-	USGS	1-31-63	6.3(A)	521	5-26-77	1.37	14	
SOUTH YORK PIVER AT JONES HAR NEAR GHASS VALLEY		1940-48	USGS	12-22-64	7.6(A)	1,520	2-21-77	1.79	14	
AMM MINEN HEFTON	2869	1901-	USGS	12-22-64	171.9(0)	4,840(K)	12 -3-76	1.50	26	
NEAR SMARTVILLE	550	1935+	USGS	10-13-62	4.2	328	1 -3-77	1.32	12	
NEAR MANYSVILLE	3467	1940-	บริตร	12-22-64	27.5	5,100	10 -5-76	18.42	19	
NEAM MENTLAND	756	1928-	USGS	12-22-55	5,9(C) 6,3(C)	934	10 =1=76	1.68	5.0	
FEATHER RIVER AT NICHEAUS	15333	1943-	USGS-OWR	12-23-55	15.7	10,100	10 -1-76	6.65	101	
FREMUNT WELK (VEST END) SPILL TO YOLO HYPASS		1934-	DwR	12-23-55	12.1	8,330(8)			NO FLOW	
SACHAMENTO RIVER	55055	1929-	usgs-0wR	3- 1-40	12.6	2,240	1 -5-77	4.43	402	
SACRAMENIU WESE SPILL TH YOLO HYPASS NEAR SACHAMENIU		1926=	USGS=NWR	3-26-2A 12-23-55	10.0	3,340(8E)			NO FLOW	
NORTH FORK AMERICAN RIVER AT NORTH FORK DAW	AAS	1901-	USGS	12-23-64	3,6	1,850	5-27-77	0.33	16	
PUBLION PIVER NEAR FORESTHILL	815	1958-	USGS	12-23-64	16,9(A1)		2-21-77	2.32	4.6	
MIDALE FORK AMERICAN RIVER NEAR FORESTHILL		1958-	USGS	12-23-64	21,0(A1)	8,780(1)	3-11-77	5.22	32	
MIDDLE FORK AMERICAN RIVER NEAR ADBURN	1590	1911-	usgs	12-23-64	18.4(AI)	7,160(1)	7-30-77	5.55	29	
SOUTH FURK AMERICAN RIVER NEAR CAMINO	1276	1922-	USGS	12-23-55	9,9(4)	1,410	9-13-77	1.67	0.8	
SOUTH FORK AMERICAN RIVER NEAR LOTUS	1743	1951-	USGS	12-23-55	6.5	2,030	9 -7-77	2.03	49	
AMERICAN HIVEH AT FAIH WAKS (MEFURE FOLSOM DAM)		1904-55	usgs	11-21-50	9.7(C)	2,030				
AMERICAN HIVER AT FAIN DANS (AFIER FULSON DAM)	4889	1955-	usgs	12-23-64	6.6	3,260	12 -6-76	2.00	54	
SACRAMENTO RIVER AT SACRAMENTO	60942	1879-	USGS=NWR NDAA	11-21-50	9.2(0)	2,940	1 -5-77		387	
SACRAMENTO RIVER AT PALNOT GROVE		1929-	OWR	12-25-64	3.7	• •	6-30-77	1.36	(6)	
ADDHE CHFER NEAR KELSEYVILLE	15	1954=	USGS	12-22-64	2.6	42	1 -2-77	0.28	0.9	
NEAR KELSETVILLE	95	1946-	uses	12-21-55	3,9	249	1 -2-77	1.30	2.9	
CAPME CHEEK NEAM LOWER LAXE	1367	1944-	USGS	2-24-58	2.9	<b>5</b> 26	12-24-76	0.23	0.3	

#### PEAK FLOWS AND STAGES (CONTINUED)

1				PRE	VIDUS MAXIM			1976-1977	
I STREAM AND STATION .	AREA IN	. OF	. SOURCE .		OF RECORD			WATER YEAR	
1	SO MILES	. RECOAD	•	•	, IN FEET .	IN CFS .	•	STAGE . O IN FFET .	ISCHARGE IN CES
					AREA (CONTI				
SACRAME (CONTI	NTO RIVER NUED)	RASIN							
NORTH FORK CACHE CREEK NEAR LOWER LAKE	197	1930+	USGS	12-11-37	14.0(41	20,300	1 -2-77	2.51	100
CACHE CREEK AT RIMSEY	955	1960-	USGS-DWR	1- 5-65	21.4(AC)	59,000	1 -3-77	9.50	100
CACHE CRFEK NEAR CAPAY	1044	1942-	USGS	2-24-5A	20.9	51,600	STATION	DISCONTINUED	
CACHE CREEK AT YOLD	1139	1903-	USGS	2=25=58 3=10=04	85.4 88.4(P)	41,400			NN FLNW
YDLO BYPASS NEAR WOODLAND		1939-	USGS-DWR	2+ R+42	32.0	272,000	11-24-76		40
PUTAH CREEK NEAR WINTERS	574	1930-	USGS-DWR	2-27-40	30.5	A1,000	4-25-77	8.30	Ann
YDLD BYPASS NEAR LISHON		1914-	DWR	12=25=64	24.7	350,000(F)	1 -2-77	7,49	(0)
SACRAMENTO RIVER AT RID VISTA		1906-	DWR	12-26-55	10.2	(D)			
SAN JOA	QUIN RIVE	R BASIN							
WILLOW CREEK AT MOUTH NEAR AUBERRY	130	1952-	USGS	12-23-55	28,5(4)	15,700	6 -9770	5.73	50
SAN JOAQUIN RIVER BELOW KERCHOFF POWERHOUSE NEAR PRATHER	1481	1942-	USGS-	12+23+55	51.0(4)	92,200	7-28-77	12.55	1800
SAN JDAQUIN RIVER BELDW FRIANT	1676	1907-	USGS	12-11-37	23.8(CM) 11.7	77.200(M) 12,400	8 -8-77	2.88	250
SAN JOAGUIN RIVER NEAR MENDOTA	4310	1939=	USBR-DWR	6= 1=52 6=20=41	13.8(C)	R,R40 11,740(M)	6-28-77	4.44	550
FRESNO RIVER NEAR KNOWLES	133	1911=13 1915=	USGS	12-23-55	11.5	13,300	6-10-77	1.73	100
FRESHO RIVER NEAR DAULTON	258	1941-	USGS	12-23-55	12.6	17,500	7-14-77	4.61	150
CHOWCHILLA RIVER SELOW RAYNON CREEK NEAR RAYMON	10 254	1972=	USGS	2-11-73	9.9	11,100	4-14-77	2.65	60
EASTSIDE BYPASS NEAR EL NIDO	••	1964-	DWR	2=25=69	17,6	21,700			NN FLDW
SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE	7615	1937-	DWR	2=26=69	68,1	9,180	STATION	DISCONTINUED	
MERCED RIVER AT POHONO BRIDGE NEAR YOSEMITE	321	1916-	USGS	12-23-55	21,5(A)	23.400	6 -9-77	6.58	2400
MERCED RIVER . NEAR. STEVINSON	1273	1940-	USGS	12- 5-50	73.R	13,600	10 -1-76	56.80	200
SAN JDAQUIN RIVER NEAR NEWMAN	9520	1912-	USG <b>3-</b> DWR	2-26-69	65.9(A)	34,700(L)	10 -2-76	49.71	750
ORESTIMBA CREEK NEAR NEWMAN	134	1932-	USGS	4- 2-58	6,6(C)	10,200			NO FLOW
SDUTH FORK TUDLUMNE RIVER NEAP OAKLAND RECREATION CAMP	87	1923=	USGS	12-23-55	10.9(A)	11,900	6 -9-77	3.55	200
MIDDLE TUDLUMNE RIVER AT DAKLAND RECREATION CAMP	74	1916=	USGS	12-23-55	11.8(A)	4,920	6 -9-77	3.01	150
TUDLUMNE RIVER AT MODESTO	1684	1940-	USGS-DWR	12= 9=50	69.2	57,000	3-16-77	41.16	450

	DRAINAGE .			001	EVIDUS MAXIMU OF RECORD	M		1976-1977	
I STREAM AND STATION .	SO KM	OF RECORD	OF RECORD	DATE .	STAGE . IN METRES .	DISCHARGE . IN M /S .	DATE .	STAGE . IN METRES .	DISCHARGE I
					AREA (CONTIN				
SACHAMI (CONT	ENTO RIVER	BASIN							
NORTH FORK CACHE CREEK NEAR LOWER LAKE	510	1930-	USGS	12-11-37	4.3(A)	574	1 -2-77	0.77	₹,4
CACHE CREEK AT HUMSEY	2473	1960-	USGS-DWR	1= 5=65	6.S(AC)	1.670	1 -3-77	5.90	2.8
CACME CREEK NEAR CAPAY	2703	1942-	USGS	2-24-58	6.4	1,460	STATION	DISCONTINUED	
CACHE CREEK AT YULO	2949	1903-	USGS	2-25-58 3-10-04	26.0 26.9(R)	1,170			NO FLOW
YOLD HYPASS NEAR WUUDLAND		1939-	USGS-DWR	2- A-42	9.8	7,700	11-24-76		1.2
PUTAM CREEK NEAR WINTERS	1486	1930-	USGS-DWR	2-27-40	9,3	2,290	4-25-77	2.53	22
YOLO HYPASS NEAR LISBON	• •	1914-	DWR	12-25-64	7.5	9.910(E)	1 -2-77	2.28	(n)
SACRAMENTO RIVER AT RIO VISTA	• •	1906-	DKR	12-26-55	3.1	(0)			
	AQUIN RIVE	R BASIN							
AT MUUIH NEAR AUBERRY	337	1952-	USGS	12-23-59	A.7(A)	444	6 -9770	1.75	1.5
SAN JOAQUIN RIVER BELOW KERCHOFF POWERHOUSE NEAR PRATHER	3835	1942+	USGS	12-23-55	15.5(A)	2,610	7-28-77	3.83	50
SAN JUAQUIN RIVER BELUW FRIANT	4340	1907-	USGS	12-11-37	7.3(CM) 3.6	2,190(M) 351	8 +8-77	0.88	6.6
SAN JUAGUIN RIVER NEAR MENOOTA	11163	1939=	บรอก=กพล	6- 1-52 6-20-41	4.2(0)	250 332(M)	6+28+77	1.35	15
FRESNO RIVER NEAR KNOWLES		1911-13	usgs	12-23-55	3.5	376	6-10-77	0.53	5.9
FRESNO RIVER NEAR GAULTON	668	1941-	USGS	12-23-55	3.8	495	7 - 1 4 - 7 7	1.41	3.5
CHOWCHILLA RIVER BELOW RAYNDR CREEK NEAR RAYMO	IND 657	1972-	uses	2-11-73	3.0	314	4-14-77	0.81	1.6
EASTSIDE BYPASS NEAR EL NIDO		1964-	DWR	2-25-69	5.4	614			NO FLOW
SAN JOAQUIN RIVER AT FREMONT FORD BRIDGE	19722	1937-	DWR	2-26-69	20.8	259			
MERCEO RIVER AT POMONO BRIOGE NEAR YOSEMITE	831	1916-	USGS	12-23-55	6.6(A)	662	6 -9-77	2.01	67
MERCEO RIVER NEAR STEVINSON	3297	1940-	USGS	12= 5=50	22.5	385	10 -1-76	17.31	6.3
SAN JOAGUIN RIVER NEAR NEWMAN	24657	1912-	USGS-DWR	2=26=69	20.1(A)	982(L)	10 -2-76	15.15	21
ORESTIMBA CREEK NEAR NEWMAN	347	1932-	USGS	4- 2-5R	5*0(C)	288			NN FLOW
SOUTH FORK TUOLUMNE RIVER NEAR OAKLAND RECREATION CAMP	225	1923-	USGS	12-23-55	3.3(A)	336	6 -9-71	0.98	5.7
MIODLE TUOLUMNE RIVER AT OAKLAND RECREATION CAMP	191	1916-	USGS	12-23-55	3.6(A)	139	6 =9=77	0.92	4.3
TUDLUMNE RIVER AT MODESTO	4879	1940-	USGS-OWR	12- 9-50	21.1	1,610	3-16-77	12.55	17

		F	FAK FLOWS	AND STAGES	(CONTINUED)				
1	) WATNAGE	PERTOR	SOURCE		OE BECUBO	jm ,	· · · · · · · · · · · · · · · · · · ·	1976-197 WATER YE	
		. DF . RECORD	PECORD .		STAGE . IN FEFT .	DISCHARGE ,	DATE .	STAGE .	DISCHARGE IN CES
***************************************			CENTS	RAL VALUEY	A9EA (CONTIN	vuEn)			
(ANL MAP)	JUTA RTVI	FH HASIN							
SOUTH FORE STANTSLAUS RIVER NEAR LUIG, MARN	67	1937-	USGS	11-21-50	9.3	4,900	11-11-76	1.07	7
STANISLANS HIVER AT URANGE HIUSSON BRIDGE		1928-39 1940-	D w <del>0</del>	12-23-55	31.R	62,000	6-15-77	1.68	60
STATISLAUS HIVEP AT RIPUM	1075	1940-	บริธีระกิพิติ	12-24-55 2-12-38	63.3 64.4(A)	62,500	10 -4-76	36.04	100
SAN INAMIN HIVER NEAR VERNALIS	13540	1922-	USGS-DWR	12- 9-50 1-27-69	32.8(C) 34.6	79,000 52,600	10 -2-76	11.32	1950
DUCK CHEFF DEAM STUCKTON		1950-	() wR	1=16=73	6.5	780	8-27-77	2.75	30
NEAR SAN ANIREAS	118	1950-	uses	12-23-55	10.3	17,600	1 -3-77	1.45	30
MIRMIN SELLICH AT HELLITA		1948-	Dwb	4- 2-5R	20.7	15,400(E)			N/A
SINCKION HIVEWIING CANAL AT STUCKTON		1904-	Dwb	U- 4-5R	17,1(E)	11,400(E)	5 -2-77	5.17	150
CALAVERAS HTVFH NEAR STOCKTOO		1958=	DWR	1- 6-65	12.6	760(E)	5 -1-77	4.40	60
NEAR CHEEK NEAR LOCKEFORD	48	1930-	USGS	4- 3-5A	15.1	2,930	3-16-77	3.64	3
COLF CHEEK NEAR SALT SPHINGS DAM	20	1927-42	USGS	12-23-64	10.2	6,140	5+20+77	2.69	250
SOUTH FORK MURELUMNE RIVE MEAR WEST POINT	75	1933-	USGS	12-23-55	14.8(AC)	6,920	2-21-77	3.10	70
MUKELIIMNE RIVER NEAR MUKELUMNE HILL	544	1901-	USGS	12- 3-50	18.5	33,700	1 -4-77	4.00	1050
MORELUMNE RIVER AT WOODBRIDGE	661	1924-	USGS	11-22-50	29.6	27,000	11 -1-76	9.09	900
MORFLUMNE RIVER NR THORNTON (HENSON FERRY	2045	1911-	DWR-NOAA	12-24-55	18.0(C)	(0)	6-29-77	3.86	(0)
DRY CREEK NEAR GALT	329	1926-33 1944-	USGS-DWR	4- 3-58	15.3	24,000			NO FLOW
NORTH FORK CUSTIMMES RIVER NEAR EL OURADO	205	1911-41	USGS	12-23-55	14.8	15,800	2-22-77	2.68	100
SUITH FORK COSUMNES RIVER NEAR RIVER PINES	64	1957-	USGS	2- 1-63	10.9	5,540	1 -3-77	1.10	20
COSUMNES HIVER AT MICHIGAN HAN	536	1907+	USGS+NWR	12-23-55	14.6 16.3(A)	42,000	2-22-77	3,24	200
COSHMUES RIVER AT MCCONNELL	724	1941-	USGS	12-23-55	46.3	54,000	2-23-77	32.00	1950
TULARE	LAKE RAS	1 N							
NEAR SPRINGVILLE	247	1957-	USGS	12- 6-66	19.7(AC)	49,600	1 -3-77	4.16	<b>A</b> 0
TULE MIVER BELOW SUCCESS DAM	393	1953+	USGS	12-23-55 11-19-50	21.7(C) 26.0(AC)	27,000 32,000(M)	7+18+77	4.61	150
KAMPAM RIVER AT THREE WIVENS	418	1958=	USGS	12- 5-66 12- 5-66	16.7 19.0(A)	73,000	6 -9-77	5,81	1250
RELOW NORTH FORK	1342	1951-	USGS	12-23-55	23.1	85,200	6 -9-77	7.42	4750
DUE NA IN									

12- 6-66 19.3(A) 74,000 6 -2-77

950

5.88

RUENA VISTA LAKE BASIN

1905-12 1009 1953-

USGS

KERNI HIVEH

				EINIC HWI	13				
	PLAINAGE				EVIUUS MAXIM OF RECORD			1976-19 WATER YI	
I STHEAM AND STATION .					STAGE .	DISCHARGE . IN M /S .	DATE .	STAGE	. DISCHARGE I
			CENTR	PAL VALLEY	AREA (CONTT	NUED)			
CONT (CONT	ADUIN PIVE	P PASIN							
SHITH FIRK STANTSLAIDS HIVEN NEAR LINE, RARN	173	1937-	USGS	11-21-50	2.A	13A	11-11-76	0.33	0.5
STANISEAUS HIVER AT ORANGE HEUSSUM HRIUGE		1928-39	DWR	12-23-55	9.7	1,760	6-15-77	0.51	1.6
STANISLAUS PIVEH AT RIPUN	2784	1940-	IJSGS=NWR	12=24=55 2=12=38	19.3 19.6(A)	1,770	10 =4=76	10.98	3.0
SAN JOADHIN MIVEM NEAR VEMMALIS	35068	1922-	USGS=D#R	12- 9-50	10.0(C) 10.5	2,240	10 -2-76	3.45	55
DUCK CREEK NEAM STOCKTON		1950-	nwR	1=16=73	5.0	55	8-27-77	0.64	0.7
SOUTH FORK CALAVERAS RIV		1950-	uses	12-23-55	3.1	498	1 +3+77	0.44	0.7
MORMON SCHIER AT BELLOTA		1948-	OWR	4- 2-58	6.3	436(E1			N/A
STOCKTON DIVERIENG CANAL AT STOCKTON		1944-	DWR	4- 4-58	5.2(E)	355(E)	5 -2-77	1.58	4.3
CALAVENAS PIVEN NEAR STOCKTON		1958=	OwR	1= 6=65	3.8	21(E)	5 -1-77	1.34	1.8
HEAR CREEK	124	1930-	USGS	4- 3-58	4.6	<b>A2</b>	3-16-77	1.11	0.1
CHE CREFK NEAR SALT SPRINGS DAM		1927-42	USGS	12-23-64	3.1	173	5-20-77	0.62	7.7
SOUTH FORK MOKELIJANE RTV NEAR WEST POINT		1933-	USGS	12-23-55	4.5(AC)	195	2-21-77	0.94	5.0
MUKEFHWAF HIFF	1408	1901-	USGS	12- 3-50	5.6	954	1 -4-77	1,22	24
MUKELUMNE RIVER AT WOODHRIDGE	1711	1924-	USGS	11-22-50	9.0	764	11 -1-76	2.77	24
MOKELUMNE RIVER NR IHURNIUM (HENSON FERR	Y) 5296	1911-	DWR-NOAA	12-24-55	5.5(0)	(0)	6-29-77	1.18	(0)
DRY CHEEK NEAW GALT	852	1926-33 1944-	USGS-DWR	4- 3-58	4.7	679			NO FLOW
NORTH FORK COSUMNES RIVE NEAR EL DORADO		1911-41	USGS	12-23-55	4.5	447	2-22-77	0.82	2.7
SOUTH FORK COSUMNES HIVE NEAR RIVER PINES		1957-	usgs	2- 1-63	3,3	156	1 =3=77	0.34	0.6
COSIMMES PIVER AT MICHIGAN BAR	1388	1907=	USGS=DWR	12-23-55		1,190	2+22-77	0.99	5.7
COSHMNES RIVER AT MCCUNNELL	1875	1941=	usgs	12-23-55	14.1	1,530	2-23-77	9.75	55
TULARE	LAKE RASI	IN							
THE RIVER NEAR SPRINGVILLE	639	1957-	usœs	12- 6-66	6.0(AC)	1,400	1 -3-77	1,27	2.4
THE RIVER BELOW SHICESS DAM	1017	1953-	USGS	12-23-55		764 906(M)	7-18-77	1.41	4.5
KAWEAH RIVER AT IHREE MIVERS	1082	1958=	uscs	12- 5-66 12- 5-66		2,070	6 +9-77	1.77	35
REFORMUMENT FORK	3475	1951-	USGS	12-23-55	7.0	2,410	6 -9-77	2,26	134
RILENA	VISTA LAKE	RASIN							
AI KENNVILLE		1905-12 1953-	USGS	12- 6-66	5.9(A)	2,100	6 -2-77	1.79	27

T REDEAM AND REATION AC	RAINAGE	PERIDO OF RECORO	SOURCE OF RECORD	. PREVIOUS MAXIMUM OF RECORD			WATER YEAR I		
	@ MILES			. DATE	. STAGE .	DISCHARGE IN CES	. DATE .	STAGE	. DISCHARGE 1 . IN CES 1
				THERN LAHON					
HONEY LA	KE BASI	N							
WILLOW CHEEK NEAR SUSANVILLE	90	1950-	USGS	2- 1-63	5,6	R20	1 -3-77	2.75	50
SUSAN RIVER AT SUSANVILLE		1917-21 1950-	USGS	12-22-64	7.3	5,100	2-21-77	1.81	41
PYRAMID LAKES R		NEMUCCA							
LITTLE TRUCKEE RIVER ABOVE BOCA RESERVOIR NEAR BOCA			USGS	2= 1=63	9.0	13,300	8-19-77	1.31	150
TRUCKEE RIVER	932	1899-	USGS	11-21-50	)4.5(A)	17,500	10 -7-76	3,36	750
CARSON F	IVER BA	SIN							
EAST FORK CARSON RIVER BELUW MARKLEEVILLE CREEK	276	1960-	USGS	1=31=63	10.2	15,100	6 -9-77	3.69	600
WEST FORK CARSON RIVER AT WOODFORDS		1900-07 1938-	USGS	2- 1-63	9.0	4,890	6-10-77	2.56	300
WALKER L	AKE RAS	IN							
WEST WALKER RIVER BELOW LITTLE WALKER RIVER NEAR COLEVILE	180	1936-	USGS	11-20-50	R . 1	6,220	6 -1-77	2,97	550
EAST WALKER RIVER NEAR BRIDGEPORT	359	1911-14 1921-	USGS	6-19-63	4.6	1,390	7-25-77	5.05	300
			sou	THERN LAHON	TAN APEA				
MOJAVE F	IVER BA	SIN							
MOJAVE RIVER AT LOWER NARROWS NEAR VICTORVILLE		1899-06 1930-	USGS	3- 2-3A	23.7	70,600	10-22-76	4.32	950
MOJAVE RIVER AT BARSTOW	1290	1930-	USGS	3- 3-3A	A.6	64,300	R=17=77		10(E)
MOJAVE RIVER AT AFTON	2120	1929-32 1952-	USGS	1-26-69	10.4	18,000	9-10-77	6.64	N/A

1									
I STREAM AND STATION . AREA	DRAINAGE	PERIOO	RECORD	• OF RECORD			. 1976-1977 1 . WATER YEAR 1		
	SO KM	RECORO		. DATE .	STAGE . IN METRES .	DISCHARGE . IN M /S	NATF .	STAGE . IN METPES .	DISCHARGE I IN 4 /S I
			NORI	HERN LAHON	TAN ARFA				
HONEY	LAKE BASIN								
WILLUW CREEK NEAR SUSANVILLE	233	1950+	usgs	2- 1-63	1.7	23	1 -3-77	0.84	1.0
SUSAN RIVER AT SUSANVILLE	476	1917-21 1950-	USGS	12-22-64	5.2	144	2-21-77	0.55	1.0
	D AND WINN RASIN	EMUCCA							
LITTLE THUCKEE RIVER AND BOCA RESERVOIR NEAR BOO			uses	2= 1=63	2.7	376	8-19-77	0.40	4.6
TRUCKEE HIVER	2413	1899-	USGS	11-21-50	4.4(A)	495	10 +7=76	1.02	21
CARSON	RIVER RAS	10							
EAST FORK CARSUN RIVER BELOW MARKLEEVILLE CREE	K 714	1960-	uses	1=31=63	3,1	427	6 -9-77	1.12	16
WEST FORK CARSON RIVER AT WOODFORDS	170	1900-07 1938-	usgs	2= 1=63	2.7	138	6-10-77	0.78	9.0
WALKE	R LAKE BASI	N							
WEST WALKER RIVER BELUW LITTLE WALKER RIVER NEAR COLEVILLE	466	1938-	USGS	11-20-50	2.5	176	6 -1-77	0.91	16
EAST WALKER RIVER NEAR BRIOGEPORT		1911-14	USGS	6-19-63	1.4	39	7-25-77	0.62	8.0
			sou	THERN LAHON	ITAN AREA				
MOJAV	E RIVER BAS	BIN							
MOJAVE RIVER AT LOWER NARRUWS NEAR VICTORVIL			USGS	3- 2-3A	7.2	2,000	10-22-76	1.32	27
MOJAVE RIVER AT BARSTUW	3341	1930=	USGS	3- 3-38	2.6	1,820	8-17-77		0.4(F)
MOJAVE RIVER AT AFTON		1929=32 1952=	USGS	1=26=69	3.2	509	9-10-77	2.02	N/A

#### LEGEND

United States Geological Survey USGS United States Bureau of Reclamation USBR National Weather Service (National Oceanic and Atmospheric NOAA Administration) USCE United States Corps of Engineers DWR Department of Water Resources PG&E Pacific Gas and Electric Company A From flood marks B Discharge over weir or spillway C Site or datum then is use D Discharge not determined, affected by backwater or tide E Estimated F From DWR telemetering log G Preliminary Includes flow through power plant H Due to failure of partially completed dam Ι J Gage height revised Flow through power plant not included K L Discharge at latitude of gaging station site Prior to construction of upstream dam M Includes flow through fish hatchery but not upstream N diversion to Thermalito Afterbay P Observed Estimated peak inflow to partially completed Oroville Reservoir R Regulated stage and flow Revised to current datum T Datum of gage is 0=0 USED U Crest stage partial recorder N/A Not available at report time Peak of record established current year


#### METRIC EQUIVALENTS

```
1 square mile = 2.59 square kilometres (km^2)

1 cubic foot per second (cfs) = 0.028 cubic metre per second (m^3/s)

1 foot = 0.305 metre
```











# **PERIODICAL**

THIS BOOK IS DUE ON THE LAST DATE STAMPED BELOW

RENEWED BOOKS ARE SUBJECT TO IMMEDIATE RECALL

RECEIVED

JUN 1 1980

PHYS SCI LIBRARY

RECEIVED

NOV 3 1503

PHYS SCI LIBRARY

APR 5 1982

RECEIVED

007

PHYSISC LI 7 .T

JUN 30 1984 RECEIVED

JUL 3 0 1984

PHYS SCI LIBRARY

Library, University of California, Davis D4611 (12/76)





